

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: August 21, 2024

For the Period: 08/22/24 to 09/09/24 (24/235 – 24/253)




Posted at <https://voyager.jpl.nasa.gov/mission/status/>

LEGEND:


- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

ISSUE DATE: 08/21/24 07:58



PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
FRIDAY AUGUST 23, 2024 236-237	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 45h 30m 50s CCSL: A132 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .07/.40/.95 GYROS: OFF	1200 RTLT 45h 31m 2s												0000 RTLT 45h 31m 14s												
	▼ 0806 EL-40 (05:37) ▼ 0827 CCSL A132C BRANCH SWITCH MINI-SEQUENCE (05:59) ▼ 0909 CCSTIM F/C (06:41) ▼ 0937 TIC CCS SID MRO, CR-5T (07:09) U/L 1005 - - - - - - - TLC (SHORT-FORM) - - - - -																								
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																								
31 DSN COVERAGE10 -----43 [HT] ----- 0700-1140401405 -----63 [D] ----- 180560																								
32 DSN COVERAGE1240 -----43 [o] ----- 1640400525 -----43 [D] -----																								
S/C 32 INITIAL CONDITIONS RTLT: 37h 55m 16s CCSL: B205 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .07/.30/.95 GYROS: OFF	1200 RTLT 37h 55m 24s												0000 RTLT 37h 55m 32s												
	PITCH 0.09 DEG DEADBAND 0655 ↓																								
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																								
VGR COVERAGE	VGR												ON CALL												
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	AUG 23												AUG 24												


ISSUE DATE: 08/21/24 07:58



ISSUE DATE: 08/21/24 07:58

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SUNDAY AUGUST 25, 2024 238-239																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 45h 31m 38s CCSL: A132 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .07/.40/.95 GYROS: OFF	1200 RTLT 45h 31m 48s												0000 RTLT 45h 32m 0s												
	0703 COARSE												REDUNDANT CONFIG (03:47) 0615▼												
	* 0711-0712 TIC CCS SID MRO																								
	- - - - TLC (SHORT-FORM)																								
	D/L - 0904																								
	↓ 0713 CR-5T																								
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	14 [D] 0830												2100 14 [D] 0205												
 40 10												
 40 10												
	1440 63 [D] 1910												0550 43 [H]												
 60 40												
32 DSN COVERAGE	43 [D] 0935												0230 43 [D] 0430												
 40 40												
S/C 32 INITIAL CONDITIONS RTLT: 37h 55m 50s CCSL: B205 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .09/.30/.95 GYROS: OFF	1200 RTLT 37h 55m 58s												0000 RTLT 37h 56m 8s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE	VGR												ON CALL												
NOTES	[1] S/C 31=CR-5T @ 07:13 XB=160(32)																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	AUG 25												AUG 26												

ISSUE DATE: 08/21/24 07:58



PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY AUGUST 27, 2024 240-241	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 45h 32m 24s CCSL: A132 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .07/.40/.95 GYROS: OFF	1200 RTLT 45h 32m 36s												0000 RTLT 45h 32m 48s												
↓ 0904 0906 PWS/RH													↓ 0125 PITCH 10 MS PW ↓ 0128 0129 AACS SID MRO'S ↓ 0131 BAY1 HTR OFF ↓ 0132 AP BR2 B/U HTRS ON ↓ 0232 DISABLE TCAPUF ↓ 0232 TCM HTRS OFF ↓ 0233 AP BR2 B/U HTRS OFF ↓ 0236 SWITCH TO BR2 ↓ 0236 ENABLE TCAPUF ↓ 0237 BAY 1 HTR ON ↓ 0338 0343 AACS MRO'S ↓ 0348 CONFIG												
FDS MODE	CR-5T											CR-5T						EL-40 0109							
XB DATA RATE(MI)	160(32)											160(32)						40(30)							
31 DSN COVERAGE	43 [H] 40 1115											2330-0700 14 [D]						10 40							
32 DSN COVERAGE	1215 40 43 [o] 1720											43 [D] 0630						40							
S/C 32 INITIAL CONDITIONS RTLT: 37h 56m 26s CCSL: B205 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .09/.30/.95 GYROS: OFF	1200 RTLT 37h 56m 34s												0000 RTLT 37h 56m 44s												
FDS MODE												CR-5T													
XB DATA RATE(MI)												160(32)													
VGR COVERAGE	ON CALL											VGR						ON CALL							
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	AUG 27												Page 27 of 19						AUG 28						


ISSUE DATE: 08/21/24 07:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0	
WEDNESDAY AUGUST 28, 2024 241-242	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
S/C 31 INITIAL CONDITIONS RTLT: 45h 32m 48s CCSL: A132 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .07/.40/.95 GYROS: OFF	<div style="display: flex; justify-content: space-between;"> <div>1200 RTLT 45h 32m 58s</div> <div>0000 RTLT 45h 33m 10s</div> </div>
FDS MODE XB DATA RATE(MI)	EL-40 40(30)
31 DSN COVERAGE	
32 DSN COVERAGE	
S/C 32 INITIAL CONDITIONS RTLT: 37h 56m 44s CCSL: B205 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .09/.30/.95 GYROS: OFF	<div style="display: flex; justify-content: space-between;"> <div>1200 RTLT 37h 56m 52s</div> <div>0000 RTLT 37h 57m 2s</div> </div>
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)
VGR COVERAGE	ON CALL VGR
NOTES	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
UTC: AUG 28 AUG 29	

ISSUE DATE: 08/21/24 07:58

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
THURSDAY AUGUST 29, 2024 242-243																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 45h 33m 10s CCSL: A132 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .07/.40/.95 GYROS: OFF	1200 RTLT 45h 33m 22s												0000 RTLT 45h 33m 34s												
FDS MODE	EL-40																								
XB DATA RATE(MI)	40(30)																								
31 DSN COVERAGE	14 [D] 081510.....												2145 -----14 [D]----- 0145 10.....												
40.....											40.....												
60.....																								
32 DSN COVERAGE	43 [D] 0925												43 [D] 0630												
40.....											40.....												
S/C 32 INITIAL CONDITIONS RTLT: 37h 57m 2s CCSL: B205 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .09/.30/.95 GYROS: OFF	1200 RTLT 37h 57m 12s												0000 RTLT 37h 57m 20s												
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
VGR COVERAGE	VGR												ON CALL												
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	AUG 29												AUG 30												

ISSUE DATE: 08/21/24 07:58



ISSUE DATE: 08/21/24 07:58

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY AUGUST 31, 2024 244-245																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 45h 33m 58s CCSL: A132 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .07/.40/.95 GYROS: OFF	1200 RTLT 45h 34m 10s												0000 RTLT 45h 34m 20s												
FDS MODE	EL-40																								
XB DATA RATE(MI)	40(30)																								
31 DSN COVERAGE	0710 14 [D] 10 40 40 1610 63 [D] 2010 60												
32 DSN COVERAGE 40 0255-0655 43 [D] 40												
S/C 32 INITIAL CONDITIONS RTLT: 37h 57m 40s CCSL: B205 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .09/.30/.95 GYROS: OFF	1200 RTLT 37h 57m 48s												0000 RTLT 37h 57m 58s												
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	AUG 31												SEP 01												

ISSUE DATE: 08/21/24 07:58

PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
SUNDAY SEPTEMBER 1, 2024 245-246																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS		1200 RTLT 45h 34m 32s												0000 RTLT 45h 34m 44s														
RTLT: 45h 34m 20s																												
CCSL: A132																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .07/.40/.95																												
GYROS: OFF																												
FDS MODE		EL-40																										
XB DATA RATE(MI)		40(30)																										
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS		1200 RTLT 37h 58m 8s												0000 RTLT 37h 58m 16s														
RTLT: 37h 57m 58s																												
CCSL: B205																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .09/.30/.95																												
GYROS: OFF																												
FDS MODE		CR-5T																										
XB DATA RATE(MI)		160(32)																										
VGR COVERAGE		ON CALL																					VGR					
NOTES																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		SEP 01															SEP 02											

ISSUE DATE: 08/21/24 07:58

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
MONDAY SEPTEMBER 2, 2024 246-247																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 45h 34m 44s CCSL: A132 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .07/.40/.95 GYROS: OFF																											
FDS MODE													EL-40														
XB DATA RATE(MI)													40(30)														
31 DSN COVERAGE												10.....10.....														
	0710 43 [H].....40.....											40.....														
													1915 -----63 [D]----- 2315														
													60.....														
32 DSN COVERAGE												40.....1650 -----43 [D]----- 2050														
												40.....43 [D] 0630														
S/C 32 INITIAL CONDITIONS RTLT: 37h 58m 16s CCSL: B205 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .09/.30/.95 GYROS: OFF																											
FDS MODE													CR-5T														
XB DATA RATE(MI)													160(32)														
VGR COVERAGE													ON CALL														
NOTES	JPL HOLIDAY!																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	SEP 02														SEP 03												

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY SEPTEMBER 3, 2024 247-248																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 45h 35m 8s CCSL: A132 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .07/.40/.95 GYROS: OFF	1200 RTLT 45h 35m 20s												0000 RTLT 45h 35m 32s												
	0841 0843 PWS/RH												DELINK UEPC 0233* AACS FULMRO 0329 ----- 0513												
	↓ 0842 GS-4B 0843												* EL-40 0313↓ CR-5T 0514↓												
FDS MODE	EL-40												CR-5T												
XB DATA RATE(MI)	40(30)												160(32)												
31 DSN COVERAGE	-----												0115 ----- 14 [D] ----- 0515 ----- 10 ----- 40 -----												
	1250 ----- 63 [D] ----- 1820 ----- 60 -----																								
32 DSN COVERAGE	----- 43 [D] ----- 1100 ----- 40 -----												----- 40 -----												
S/C 32 INITIAL CONDITIONS RTLT: 37h 58m 36s CCSL: B205 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .09/.30/.95 GYROS: OFF	1200 RTLT 37h 58m 46s												0000 RTLT 37h 58m 54s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE	ON CALL												VGR ON CALL												
NOTES	[1] SC 31=EL-40 @ 03:13 XB=40(30) [2] SC 31=CR-5T @ 05:14 XG=160(32)																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	SEP 03												SEP 04												

ISSUE DATE: 08/21/24 07:58

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
	WEDNESDAY SEPTEMBER 4, 2024 248-249																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
S/C 31 INITIAL CONDITIONS	1200 RTLT 45h 35m 44s												0000 RTLT 45h 35m 56s															
RTLT: 45h 35m 32s																						EL-40 (03:39) 0603 ▼						
CCSL: A132																						CCSL A132B NDATA #2 MINI-SEQUENCE (04:01) 0625 ▼						
FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .07/.40/.95 GYROS: OFF																												
FDS MODE													CR-5T															
XB DATA RATE(MI)													160(32)															
31 DSN COVERAGE	10											2020	14 [D]						0135									
 40 10 0510 43 [H1T]									
												 60															
32 DSN COVERAGE 1035 43 [D]												1510					 40									
S/C 32 INITIAL CONDITIONS	1200 RTLT 37h 59m 4s												0000 RTLT 37h 59m 14s															
RTLT: 37h 58m 54s																												
CCSL: B205																												
FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .09/.30/.95 GYROS: OFF																												
FDS MODE													CR-5T															
XB DATA RATE(MI)													160(32)															
VGR COVERAGE													ON CALL															
NOTES	[1] SC 31 A132B BACKUP U/L TRACK																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	SEP 04														SEP 05													

ISSUE DATE: 08/21/24 07:58

PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
THURSDAY																												
SEPTEMBER 5, 2024																												
249-250																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS		1200 RTLT 45h 36m 8s													0000 RTLT 45h 36m 18s													
RTLT: 45h 35m 56s																												
CCSL: A132																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .07/.40/.95																												
GYROS: OFF																												
▼ 0706 CCSTIM F/C (04:42)																												
▼ 0734 TIC CCS SID MRO, CR-5T (05:10)																												
U/L 0805 -		----- TLC (SHORT-FORM) -----																										
FDS MODE																												
XB DATA RATE(MI)		CR-5T 160(32)																										
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS		1200 RTLT 37h 59m 24s													0000 RTLT 37h 59m 34s													
RTLT: 37h 59m 14s																												
CCSL: B205																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .09/.30/.95																												
GYROS: OFF																												
FDS MODE																												
XB DATA RATE(MI)		CR-5T 160(32)																										
VGR COVERAGE		ON CALL																										
NOTES																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		SEP 05															SEP 06											

ISSUE DATE: 08/21/24 07:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 6, 2024
250-251

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

S/C 31
INITIAL CONDITIONS
RTLT: 45h 36m 18s
CCSL: A132
FDSL: 11AF
TWNC: ON
SB: OFF
XB: LOW
PYR: .07/.40/.95
GYROS: OFF



1200 RTLT 45h 36m 30s

0000 RTLT 45h 36m 42s
A132B CCS CHKSUM 0406 | 0412
CCSTIM FINE 0443 | 0450
COARSE 0501 | 0504
TIC CCS SID MRO 0512 | 0513

----- TLC (SHORT-FORM) ----- + D/L

EL-40 0340 ↓
CR-5T 0516 ↓

FDS MODE	CR-5T	EL-40	CR-5T
XB DATA RATE(MI)	160(32)	40(30)	160(32)



S/C 32
INITIAL CONDITIONS
RTLT: 37h 59m 34s
CCSL: B205
FDSL: 11AF
TWNC: ON
SB: OFF
XB: LOW
PYR: .09/.30/.95
GYROS: OFF

1200 RTLT 37h 59m 44s

0000 RTLT 37h 59m 54s

FDS MODE	CR-5T
XB DATA RATE(MI)	160(32)

VGR COVERAGE ON CALL

NOTES
[1] SC 31=EL-40 @ 03:40 XB=40(30)
[2] SC 31=CR-5T @ 05:16 XB=160(32)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

UTC: SEP 06 SEP 07

ISSUE DATE: 08/21/24 07:58

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
SATURDAY SEPTEMBER 7, 2024 251-252																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 45h 36m 42s CCSL: A132 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .07/.40/.95 GYROS: OFF	1200 RTLT 45h 36m 54s												0000 RTLT 45h 37m 6s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	10 40 1850 ----- 63 [D] ----- 2250 60 0530 --- 14 [D] --- 40																									
32 DSN COVERAGE	--- 43 [D] --- 0905 40 1610 ----- 43 [H1B] ----- 1955 40 0440 --- 43 [D] ---																									
S/C 32 INITIAL CONDITIONS RTLT: 37h 59m 54s CCSL: B205 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .09/.30/.95 GYROS: OFF	1200 RTLT 38h 0m 4s												0000 RTLT 38h 0m 12s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
VGR COVERAGE	ON CALL												VGR						ON CALL							
NOTES	[1] DSS-43 HPTXR DRV ON >= 03:15																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	SEP 07												Page 38 of 19						SEP 08							

ISSUE DATE: 08/21/24 07:58

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
SUNDAY SEPTEMBER 8, 2024 252-253																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 45h 37m 6s CCSL: A132 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .07/.40/.95 GYROS: OFF	1200 RTLT 45h 37m 18s												0000 RTLT 45h 37m 30s													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE	10 0730 14 [D] 10											 40													
 40												1355 63 [D] 1845													
 60											 40													
32 DSN COVERAGE	43 [D] 0920												0555 43 [D]													
 40											 40													
S/C 32 INITIAL CONDITIONS RTLT: 38h 0m 12s CCSL: B205 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .09/.30/.95 GYROS: OFF	1200 RTLT 38h 0m 22s												0000 RTLT 38h 0m 32s													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE													ON CALL													
NOTES																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	SEP 08													SEP 09												

ISSUE DATE: 08/21/24 07:58

