



VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: January 12, 2025

For the Period: 01/09/25 to 01/27/25 (25/009 – 25/027)





Posted at <https://voyager.jpl.nasa.gov/mission/status/>

LEGEND:


- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through


PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
THURSDAY JANUARY 9, 2025 009-010																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 46h 8m 38s CCSL: NONE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF					█ 1200																				
FDS MODE XB DATA RATE(MI)																									
31 DSN COVERAGE					1205																				
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLTL: 38h 38m 24s CCSL: B206 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF					█ 1200																				
FDS MODE XB DATA RATE(MI)																									
VGR COVERAGE																									
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	JAN 09													JAN 10											






ISSUE DATE: 01/12/25 18:26








ISSUE DATE: 01/12/25 18:26




ISSUE DATE: 01/12/25 18:26











ISSUE DATE: 01/12/25 18:26





ISSUE DATE: 01/12/25 18:26

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SUNDAY JANUARY 26, 2025 026-027	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 46h 8m 46s CCSL: NONE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLTL 46h 8m 46s												0000 RTLTL 46h 8m 46s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												EL-40 40(30)												
31 DSN COVERAGE	0850 ----- 63 [D] ----- 1300												1610 ----- 14 [D] ----- 2220												
32 DSN COVERAGE	1635 ----- 43 [D] ----- 2345												0035 ----- 43 [D] ----- 0325												
S/C 32 INITIAL CONDITIONS RTLTL: 38h 40m 26s CCSL: B206 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	1200 RTLTL 38h 40m 28s												0000 RTLTL 38h 40m 30s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																								
VGR COVERAGE	ON CALL												VGR												
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	JAN 26												JAN 27												

