


VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: February 26, 2025

For the Period: 02/27/25 to 03/17/25 (25/058 – 25/076)



Posted at <https://voyager.jpl.nasa.gov/mission/status/>


LEGEND:

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

ISSUE DATE: 02/26/25 11:23

PST:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
THURSDAY FEBRUARY 27, 2025 058-059																													
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLTL: 46h 7m 12s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 7m 10s														0000 RTLT 46h 7m 8s													
FDS MODE XB DATA RATE(MI)																CR-5T 160(32)													
31 DSN COVERAGE		0855 ----- 14 [D] ----- 1545 ----- 10 ----- ----- 40 ----- ----- 60 -----														0210-0730 ----- 63 [D] ----- ----- 60 -----													
32 DSN COVERAGE		1815 ----- 40 -----														43 [H1] ----- 0610													
S/C 32 INITIAL CONDITIONS RTLTL: 38h 41m 22s CCSL: B206 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 41m 20s														0000 RTLT 38h 41m 20s													
XB DATA RATE(MI) FDS MODE																160(32) CR-5T													
VGR COVERAGE		ON CALL														VGR							ON CALL						
NOTES		[1] DSS-43 HPTXR DRV OFF <= 07:35																											
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:		FEB 27														FEB 28													


ISSUE DATE: 02/26/25 11:23




ISSUE DATE: 02/26/25 11:23

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
SATURDAY MARCH 1, 2025 060-061	UTC: 8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLTL: 46h 7m 4s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLTL 46h 7m 2s												0000 RTLTL 46h 7m 0s															
----- TLC (SHORT-FORM) -----																												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																											
31 DSN COVERAGE	0945 ----- 14 [D] ----- 1805 ----- 10 ----- ----- 40 -----												----- 60 -----															
32 DSN COVERAGE	1505 ----- 43 [D] ----- 1930 ----- 40 -----												0145-0730 ----- 43 [D] ----- ----- 40 -----															
S/C 32 INITIAL CONDITIONS RTLTL: 38h 41m 18s CCSL: B206 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	1200 RTLTL 38h 41m 18s												0000 RTLTL 38h 41m 16s															
B207 CHKSUM 1601 * 1608 IMPLEMENT ECR 223875 WPM 1636 * TLMPRG 1639 * 1655 1801 * 1803 CCSA MRO - REDUNDANT CCSA MRO 1701 * 1703 1805 * 1809 CCSB MRO - REDUNDANT CCSB MRO 1705 * 1709 1843 * 1850 CCSTIM FINE 1902 * 1905 COARSE EL-40 1540 * 1905 CR-5T																												
XB DATA RATE(MI)	160(32)												40(30)															
FDS MODE	CR-5T												EL-40															
VGR COVERAGE	ON CALL												VGR															
NOTES													ON CALL															
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 01																MAR 02											


ISSUE DATE: 02/26/25 11:23



ISSUE DATE: 02/26/25 11:23



ISSUE DATE: 02/26/25 11:23




ISSUE DATE: 02/26/25 11:23

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
WEDNESDAY MARCH 5, 2025 064-065																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 46h 6m 46s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 6m 44s												█ 0000 RTLT 46h 6m 42s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	14 [D] 0830-0945												0100-0745 63 [D]												
32 DSN COVERAGE	1555 43 [D] 2140																								
S/C 32 INITIAL CONDITIONS RTLT: 38h 41m 10s CCSL: B206 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	█ 1200 RTLT 38h 41m 10s												█ 0000 RTLT 38h 41m 8s												
XB DATA RATE(MI)													160(32)												
FDS MODE													CR-5T												
VGR COVERAGE													ON CALL												
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 05												MAR 06												


ISSUE DATE: 02/26/25 11:23

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
THURSDAY MARCH 6, 2025 065-066																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 46h 6m 42s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLTL 46h 6m 40s												█ 0000 RTLTL 46h 6m 38s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	1445 14 [D] 154540..... 												0315-0715 -----63 [D]----- 60.....												
32 DSN COVERAGE	1440 -----43 [D]----- 2105 4040.....												0210 -----43 [H1]----- 0640												
S/C 32 INITIAL CONDITIONS RTLTL: 38h 41m 8s CCSL: B206 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	█ 1200 RTLTL 38h 41m 8s												█ 0000 RTLTL 38h 41m 6s												
XB DATA RATE(MI)													160(32)												
FDS MODE													CR-5T												
VGR COVERAGE	ON CALL												VGR						ON CALL						
NOTES	[1] DSS-43 HPTXR DRV OFF <= 07:05																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 06												MAR 07												

ISSUE DATE: 02/26/25 11:23



ISSUE DATE: 02/26/25 11:23



PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2	
SUNDAY MARCH 9, 2025 068-069	
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8 9	
S/C 31 INITIAL CONDITIONS RTLT: 46h 6m 28s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLT 46h 6m 26s * ↓ 1828 SSB ----- TLC (SHORT-FORM) ----- D/L 2020
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)
31 DSN COVERAGE	-----10----- -----60----- -----1710----- 43 [D] -----2110----- -----40----- -----0120----- 63 [DA] -----0705----- -----0400----- 55 [DAR] -----0705-----
32 DSN COVERAGE	-----1420----- 43 [D] -----1620----- -----40----- 0830 43 [D] -----40----- 0425-0825 -----43 [D]-----
S/C 32 INITIAL CONDITIONS RTLT: 38h 41m 2s CCSL: B206 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	1200 RTLT 38h 41m 0s 0000 RTLT 38h 40m 58s
XB DATA RATE(MI) FDS MODE	160(32) CR-5T
VGR COVERAGE	ON CALL
NOTES	VGR ON CALL
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8 9	
UTC: MAR 09 Page 11 of 19 MAR 10	

ISSUE DATE: 02/26/25 11:23


PDT:	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
MONDAY MARCH 10, 2025 069-070																								
UTC:	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 46h 6m 24s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40.255 GYROS: OFF	1200 RTLT 46h 6m 22s												0000 RTLT 46h 6m 20s											
FDS MODE													CR-5T											
XB DATA RATE(MI)													160(32)											
31 DSN COVERAGE	<p>0910 14 [D] 10 40 0145-0725 63 [D] 60</p>																							
32 DSN COVERAGE	<p>1355 43 [D] 1755 2130 43 [D] 0130 40</p>																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 58s CCSL: B206 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	1200 RTLT 38h 40m 58s												0000 RTLT 38h 40m 56s											
XB DATA RATE(MI)													160(32)											
FDS MODE													CR-5T											
VGR COVERAGE	ON CALL																							
NOTES																								
UTC:	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 10												MAR 11											


ISSUE DATE: 02/26/25 11:23

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
WEDNESDAY MARCH 12, 2025 071-072																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS RTLT: 46h 6m 16s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40.255 GYROS: OFF						█ 1200 RTLT 46h 6m 14s																					
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
31 DSN COVERAGE	14 [D] 0800-1445														10												
	60														0030 63 [D] 0445 60												
32 DSN COVERAGE	40 1430 43 [D] 2040														40 0530 43 [D]												
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 52s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF						█ 1200 RTLT 38h 40m 52s																					
XB DATA RATE(MI)														160(32)													
FDS MODE														CR-5T													
VGR COVERAGE														ON CALL													
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	MAR 12													MAR 13													

ISSUE DATE: 02/26/25 11:23

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
THURSDAY MARCH 13, 2025 072-073																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
S/C 31 INITIAL CONDITIONS RTLT: 46h 6m 10s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40.255 GYROS: OFF	█ 1200 RTLT 46h 6m 8s														█ 0000 RTLT 46h 6m 6s																	
FDS MODE															CR-5T																	
XB DATA RATE(MI)															160(32)																	
31 DSN COVERAGE	0920 ----- 14 [D] ----- 1445 ----- 10 ----- ----- 40 ----- ----- 60 ----- 0300-0720 ----- 63 [D] ----- ----- 60 -----																															
32 DSN COVERAGE	0815 43 [D] ----- 40 ----- ----- 40 ----- 0005 ----- 43 [H1B] ----- 0405 ----- 40 -----																															
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 50s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	█ 1200 RTLT 38h 40m 48s														█ 0000 RTLT 38h 40m 46s																	
XB DATA RATE(MI)															160(32)																	
FDS MODE															CR-5T																	
VGR COVERAGE	ON CALL														VGR				ON CALL													
NOTES	[1] DSS-43 HPTXR DRV OFF <= 06:40																															
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
UTC:	MAR 13														MAR 14																	





ISSUE DATE: 02/26/25 11:23

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
SUNDAY MARCH 16, 2025 075-076																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS	█ 1200 RTLT 46h 5m 56s												█ 0000 RTLT 46h 5m 54s													
RTL: 46h 5m 58s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/40.255 GYROS: OFF	----- TLC (SHORT-FORM) ----- + D/L - 1819																									
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE	1225 ----- 14 [D] ----- 1900												14 [D] 0745													
10.....											10													
	0825 63 [D]												0010 ----- 63 [D] ----- 0520													
60.....											60.....													
32 DSN COVERAGE	1320 ----- 43 [D] ----- 1825												0230-0800 ----- 43 [D] -----													
	40											40.....													
S/C 32 INITIAL CONDITIONS	█ 1200 RTLT 38h 40m 38s												█ 0000 RTLT 38h 40m 36s													
RTL: 38h 40m 40s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/30/.25 GYROS: OFF																										
XB DATA RATE(MI)													160(32)													
FDS MODE													CR-5T													
VGR COVERAGE	ON CALL																									
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 16													MAR 17												

ISSUE DATE: 02/26/25 11:23

