


VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: March 5, 2025

For the Period: 03/06/25 to 03/24/25 (25/065 – 25/083)



Posted at <https://voyager.jpl.nasa.gov/mission/status/>


LEGEND:


- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

ISSUE DATE: 03/05/25 14:17

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
THURSDAY MARCH 6, 2025 065-066																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 46h 6m 42s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 6m 40s												█ 0000 RTLT 46h 6m 38s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	1445 14 [D] 1545												0315-0725 63 [D]												
32 DSN COVERAGE	1440 43 [D] 2105												0210 43 [H1] 0640												
S/C 32 INITIAL CONDITIONS RTLT: 38h 41m 8s CCSL: B206 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	█ 1200 RTLT 38h 41m 8s												█ 0000 RTLT 38h 41m 6s												
XB DATA RATE(MI)													160(32)												
FDS MODE													CR-5T												
VGR COVERAGE	ON CALL												VGR						ON CALL						
NOTES	[1] DSS-43 HPTXR DRV OFF <= 07:05																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 06												MAR 07												

ISSUE DATE: 03/05/25 14:17





PST:	0	1	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2						
SUNDAY MARCH 9, 2025 068-069																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	9						
S/C 31 INITIAL CONDITIONS RTLT: 46h 6m 28s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLT 46h 6m 26s												0000 RTLT 46h 6m 24s																			
FDS MODE	CR-5T												CR-5T																			
XB DATA RATE(MI)	160(32)												160(32)																			
31 DSN COVERAGE	<p>1710 ----- 43 [D] ----- 2110</p> <p>0120 ----- 63 [DA] ----- 0705</p> <p>0400 ----- 55 [DAR] ----- 0705</p> <p>14 [D] 0810</p>																															
32 DSN COVERAGE	<p>0830 43 [D]</p> <p>1420 ----- 43 [D] ----- 1620</p> <p>0425-0825 ----- 43 [D] -----</p>																															
S/C 32 INITIAL CONDITIONS RTLT: 38h 41m 2s CCSL: B206 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	1200 RTLT 38h 41m 0s												0000 RTLT 38h 40m 58s																			
XB DATA RATE(MI)													160(32)																			
FDS MODE													CR-5T																			
VGR COVERAGE	ON CALL												VGR				ON CALL								VGR				ON CALL			
NOTES																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	9						
UTC:	MAR 09														MAR 10																	

PDT:	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
MONDAY MARCH 10, 2025 069-070																								
UTC:	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 46h 6m 24s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLT 46h 6m 22s												0000 RTLT 46h 6m 20s											
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)											
31 DSN COVERAGE																								
32 DSN COVERAGE																								
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 58s CCSL: B206 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	1200 RTLT 38h 40m 58s												0000 RTLT 38h 40m 56s											
XB DATA RATE(MI) FDS MODE													160(32) CR-5T											
VGR COVERAGE	ON CALL																							
NOTES																								
UTC:	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 10												MAR 11											

ISSUE DATE: 03/05/25 14:17

PDT:		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
TUESDAY																													
MARCH 11, 2025																													
070-071																													
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS		█ 1200 RTLT 46h 6m 18s											█ 0000 RTLT 46h 6m 16s																
RTLT: 46h 6m 20s																													
CCSL: A134																													
FDSL: 11AF																1833 █ 1834 PWS/RH													
TWNC: ON																													
SB: OFF																													
XB: LOW																													
PYR: .10/.40/.95																													
GYROS: OFF																													
FDS MODE		CR-5T														CR-5T													
XB DATA RATE(MI)		160(32)														160(32)													
31 DSN COVERAGE		1145 14 [D] 1340														14 [D] 0800													
														
														
		0925 63 [D] 1205														0615-0715 63 [D]													
														
32 DSN COVERAGE		1435 43 [D] 2040																											
														
														
S/C 32 INITIAL CONDITIONS		█ 1200 RTLT 38h 40m 54s											█ 0000 RTLT 38h 40m 52s																
RTLT: 38h 40m 56s																													
CCSL: B207																													
FDSL: 11AF																													
TWNC:																													
SB: OFF																													
XB: LOW																													
PYR: .10/.30/.95																													
GYROS: OFF																													
XB DATA RATE(MI)																160(32)													
FDS MODE																CR-5T													
VGR COVERAGE		ON CALL																											
NOTES																													
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:		MAR 11														MAR 12													

ISSUE DATE: 03/05/25 14:17

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
WEDNESDAY MARCH 12, 2025 071-072																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 46h 6m 16s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 6m 14s												█ 0000 RTLT 46h 6m 10s													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE	14 [D] 0800-1445												10 40 0030 63 [D] 0445 60													
32 DSN COVERAGE	1430 43 [D] 2040												40 0530 43 [D]													
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 52s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	█ 1200 RTLT 38h 40m 52s												█ 0000 RTLT 38h 40m 50s													
XB DATA RATE(MI)													160(32)													
FDS MODE													CR-5T													
VGR COVERAGE													ON CALL													
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 12													MAR 13												

ISSUE DATE: 03/05/25 14:17

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
THURSDAY																											
MARCH 13, 2025																											
072-073																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS	■ 1200 RTLT 46h 6m 8s													■ 0000 RTLT 46h 6m 6s													
RTLTL: 46h 6m 10s																											
CCSL: A134																											
FDSL: 11AF																											
TWNC: ON																											
SB: OFF																											
XB: LOW																											
PYR: .10/.40/.95																											
GYROS: OFF																											
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
31 DSN COVERAGE	0920 ----- 14 [D] ----- 1445													----- 10 -----													
														----- 40 -----													
														----- 60 -----													
														----- 60 -----													
														0300-0720 ----- 63 [D] -----													
32 DSN COVERAGE	----- 40 -----													0815 43 [D]													
														----- 40 -----													
														0005 ----- 43 [H1B] ----- 0405													
S/C 32 INITIAL CONDITIONS	■ 1200 RTLT 38h 40m 48s													■ 0000 RTLT 38h 40m 46s													
RTLTL: 38h 40m 50s																											
CCSL: B207																											
FDSL: 11AF																											
TWNC:																											
SB: OFF																											
XB: LOW																											
PYR: .10/.30/.95																											
GYROS: OFF																											
XB DATA RATE(MI)														160(32)													
FDS MODE														CR-5T													
VGR COVERAGE	ON CALL													VGR					ON CALL								
NOTES	[1] DSS-43 HPTXR DRV OFF <= 06:40																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	MAR 13													MAR 14													

ISSUE DATE: 03/05/25 14:17

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1				
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8				
FRIDAY MARCH 14, 2025 073-074																													
S/C 31 INITIAL CONDITIONS RTLTL: 46h 6m 6s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLTL 46h 6m 4s												0000 RTLTL 46h 6m 2s																
												▼ 1753 EL-40 (15:59)																	
												▼ 1815 ROLL BR1 & BAY 2 HTR TESTS MINI SEQUENCE (16:21)																	
												▼ 1856 CCSTIM F/C (17:02)																	
												▼ 1925 AHELI2 CCS SID MRO, CR-5T (17:30)																	
												U/L 1950 - - - - - - TLC (SHORT-FORM) - - - - -																	
FDS MODE												CR-5T																	
XB DATA RATE(MI)												160(32)																	
31 DSN COVERAGE 10 10 																	
												1725 ----- 43 [HT] ----- 2035																	
												----- 40 -----																	
 60 60 																	
32 DSN COVERAGE																													
	40											2305 ----- 43 [DA] ----- 0305																	
												2305 ----- 34 [DAR] ----- 0305																	
											 40 																	
S/C 32 INITIAL CONDITIONS RTLTL: 38h 40m 46s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	1200 RTLTL 38h 40m 44s												0000 RTLTL 38h 40m 44s																
												↓ 2308 BAY 1 HTR OFF																	
												↓ 2308 GYROS BC ON																	
												↓ 2308 GYRO INIT																	
												↓ 2318 GYRO FAULT TEST																	
												↓ 2325 PYR=.05/.10/.25																	
												↓ 2338 AAI																	
												2342 - 0015 MAGROL																	
												↓ 0016 PYR=.10/.30/.95																	
												↓ 0021 RAI																	
												↓ 0027 GYROS OFF																	
												↓ 0034 BAY 1 HTR ON																	
												2310 EL-40 2313 ↓																	
XB DATA RATE(MI)	160(32)											160(32)																	
FDS MODE	CR-5T											CR-5T																	
VGR COVERAGE	ON CALL							VGR							ON CALL							VGR							
NOTES																													
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8				
UTC:	MAR 14														MAR 15														


ISSUE DATE: 03/05/25 14:17

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
SATURDAY MARCH 15, 2025 074-075																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS	1200 RTLT 46h 6m 0s												0000 RTLT 46h 5m 58s															
RTLTL: 46h 6m 2s																												
CCSL: A134																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .10/.40/.95																												
GYROS: OFF																												
----- TLC (SHORT-FORM) -----																												
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS	1200 RTLT 38h 40m 42s												0000 RTLT 38h 40m 40s															
RTLTL: 38h 40m 44s																												
CCSL: B207																												
FDSL: 11AF																												
TWNC:																												
SB: OFF																												
XB: LOW																												
PYR: .05/.30/.25																												
GYROS: OFF																												
XB DATA RATE(MI)															160(32)													
FDS MODE															CR-5T													
VGR COVERAGE	ON CALL																											
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 15														MAR 16													

ISSUE DATE: 03/05/25 14:17

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
SUNDAY MARCH 16, 2025 075-076																											
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 58s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLT 46h 5m 56s													0000 RTLT 46h 5m 54s													
	1622 * 1629 ROLL BR1 & BAY 2 HTR TESTS MINI SEQUENCE CHKSUM 1703 * 1710 CCSTIM FINE 1721 * 1724 COARSE 1731 * 1732 AHEL12 CCS SID MRO ----- TLC (SHORT-FORM) ----- D/L - 1924 EL-40 1600 * 1732 CR-5T																										
FDS MODE	CR-5T									EL-40									CR-5T								
XB DATA RATE(MI)	160(32)									40(30)									160(32)								
31 DSN COVERAGE	1225 ----- 14 [D] ----- 190010..... ----- 40 ----- 60..... 0825 63 [D] ----- 63 [D] ----- 052060.....																										
32 DSN COVERAGE	1320 ----- 43 [D] ----- 1825 40 ----- 40 ----- 40..... 0230-0800 ----- 43 [D] -----																										
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 40s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	1200 RTLT 38h 40m 38s													0000 RTLT 38h 40m 36s													
XB DATA RATE(MI)	160(32)																										
FDS MODE	CR-5T																										
VGR COVERAGE	ON CALL									VGR									ON CALL								
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	MAR 16													MAR 17													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
MONDAY MARCH 17, 2025 076-077																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS	1200 RTLT 46h 5m 52s												0000 RTLT 46h 5m 50s												
RTLT: 46h 5m 54s																									
CCSL: A134																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
XB: LOW																									
PYR: .10/.40/.95																									
GYROS: OFF																									
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS	1200 RTLT 38h 40m 34s												0000 RTLT 38h 40m 32s												
RTLT: 38h 40m 36s																									
CCSL: B207																									
FDSL: 11AF																									
TWNC:																									
SB: OFF																									
XB: LOW																									
PYR: .05/.30/.25																									
GYROS: OFF																									
XB DATA RATE(MI)													160(32)												
FDS MODE													CR-5T												
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 17												MAR 18												




PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
WEDNESDAY MARCH 19, 2025 078-079																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 46s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF						█ 1200 RTLT 46h 5m 44s																					
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
31 DSN COVERAGE	14 [D] 1245														10												
10.....40.....													60.....60.....												
60.....														0340-0715 63 [D]												
60.....													60.....												
32 DSN COVERAGE															0340-0750 43 [D]												
														40.....												
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 28s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF						█ 1200 RTLT 38h 40m 26s																					
XB DATA RATE(MI)														160(32)													
FDS MODE														CR-5T													
VGR COVERAGE														ON CALL													
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	MAR 19													MAR 20													

ISSUE DATE: 03/05/25 14:17


PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
THURSDAY MARCH 20, 2025 079-080																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 42s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 5m 40s												█ 0000 RTLT 46h 5m 38s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	1030 ----- 14 [D] ----- 1445												----- 10 -----												
	----- 60 -----												----- 40 -----												
													0100 ----- 63 [D] -----												
													----- 60 -----												
32 DSN COVERAGE	1620 ----- 43 [H1B] ----- 0440												----- 40 -----												
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 26s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLT 38h 40m 24s												█ 0000 RTLT 38h 40m 22s												
													▼ 0032 DUMMY (5 MIN BRACKETED 15:13)												
XB DATA RATE(MI)													160(32)												
FDS MODE													CR-5T												
VGR COVERAGE	ON CALL												VGR			ON CALL									
NOTES	[1] DSS-43 HPTXR DRV OFF <= 06:10																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 20												MAR 21												

ISSUE DATE: 03/05/25 14:17



PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
SATURDAY MARCH 22, 2025 081-082																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLTL: 46h 5m 34s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLTL 46h 5m 32s												█ 0000 RTLTL 46h 5m 30s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE 10 40													
	63 [D] 1120						2345 63 [D] 0405						60 60													
32 DSN COVERAGE	1400 43 [D] 2135											 40													
S/C 32 INITIAL CONDITIONS RTLTL: 38h 40m 18s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLTL 38h 40m 16s												█ 0000 RTLTL 38h 40m 14s													
XB DATA RATE(MI)	160(32)												160(32)													
FDS MODE	CR-5T												CR-5T													
VGR COVERAGE	ON CALL												ON CALL													
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 22												MAR 23													

ISSUE DATE: 03/05/25 14:17



PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
MONDAY MARCH 24, 2025 083-084																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 26s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 5m 24s												█ 0000 RTLT 46h 5m 22s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE 10 40												
	63 [D] 1000												2335 63 [D]												
 60 60												
32 DSN COVERAGE	1250 43 [D] 1755											 40												
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 8s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLT 38h 40m 6s												█ 0000 RTLT 38h 40m 4s												
XB DATA RATE(MI)													160(32)												
FDS MODE													CR-5T												
VGR COVERAGE													ON CALL												
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 24												MAR 25												