


VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: March 14, 2025

For the Period: 03/13/25 to 03/31/25 (25/072 – 25/090)



Posted at <https://voyager.jpl.nasa.gov/mission/status/>

LEGEND:

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

ISSUE DATE: 03/14/25 12:16

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
THURSDAY MARCH 13, 2025 072-073																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
S/C 31 INITIAL CONDITIONS RTLT: 46h 6m 10s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 6m 8s														█ 0000 RTLT 46h 6m 6s																	
FDS MODE															CR-5T																	
XB DATA RATE(MI)															160(32)																	
31 DSN COVERAGE	0920 ----- 14 [D] ----- 1445 ----- 10 ----- ----- 40 ----- ----- 60 ----- ----- 60 -----																															
32 DSN COVERAGE	0815 43 [D] 40 ----- 40 ----- 0005 ----- 43 [H1B] ----- 0405 ----- 60 -----																															
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 50s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	█ 1200 RTLT 38h 40m 48s														█ 0000 RTLT 38h 40m 46s																	
XB DATA RATE(MI)															160(32)																	
FDS MODE															CR-5T																	
VGR COVERAGE	ON CALL														VGR				ON CALL													
NOTES	[1] DSS-43 HPTXR DRV OFF <= 06:40																															
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
UTC:	MAR 13														MAR 14																	

ISSUE DATE: 03/14/25 12:16

PDT:		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
FRIDAY																													
MARCH 14, 2025																													
073-074																													
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS		1200 RTLT 46h 6m 4s													0000 RTLT 46h 6m 2s														
RTLTL: 46h 6m 6s																													
CCSL: A134																													
FDSL: 11AF																													
TWNC: ON																													
SB: OFF																													
XB: LOW																													
PYR: .10/.40/.95																													
GYROS: OFF																													
FDS MODE		CR-5T																											
XB DATA RATE(MI)		160(32)																											
31 DSN COVERAGE																													
32 DSN COVERAGE																													
S/C 32 INITIAL CONDITIONS		1200 RTLT 38h 40m 44s													0000 RTLT 38h 40m 44s														
RTLTL: 38h 40m 46s																													
CCSL: B207																													
FDSL: 11AF																													
TWNC:																													
SB: OFF																													
XB: LOW																													
PYR: .10/.30/.95																													
GYROS: OFF																													
XB DATA RATE(MI)		160(32)													160(32)														
FDS MODE		CR-5T													CR-5T														
VGR COVERAGE		ON CALL													VGR			ON CALL											
NOTES		<ul style="list-style-type: none"> 2308 BAY 1 HTR OFF 2308 GYROS BC ON 2308 GYRO INIT 2318 GYRO FAULT TEST 2325 PYR=.05/.10/.25 2338 AAI 2342 0015 MAGROL 0016 PYR=.10/.30/.95 0021 RAI 0027 GYROS OFF 0034 BAY 1 HTR ON 																											
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:		MAR 14													MAR 15														

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1																																																																																																																						
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8																																																																																																																						
SATURDAY MARCH 15, 2025 074-075																																																																																																																																															
S/C 31 INITIAL CONDITIONS RTLTL: 46h 6m 2s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLTL 46h 6m 0s												█ 0000 RTLTL 46h 5m 58s																																																																																																																																		
													▼ 1749 EL-40 (15:55)																																																																																																																																		
													▼ 1811 BR1 ROLL & BAY 2 HTR TESTS MINI SEQUENCE (16:17)																																																																																																																																		
													▼ 1852 CCSTIM F/C (16:58)																																																																																																																																		
													▼ 1920 AHELI2 CCS SID MRO, CR-5T (17:26)																																																																																																																																		
													U/L 1950 - - - - - - TLC (SHORT-FORM) - - - - -																																																																																																																																		
FDS MODE													CR-5T																																																																																																																																		
XB DATA RATE(MI)													160(32)																																																																																																																																		
31 DSN COVERAGE	<table border="0"> <tr> <td>1040 ----- 14 [D] ----- 1450</td> <td colspan="26"></td> <td>10 ----- </td> </tr> <tr> <td colspan="12"></td> <td>1725 ----- 43 [HT] ----- 2140</td> <td colspan="16"></td> </tr> <tr> <td>0805 63 [D]</td> <td colspan="26"></td> <td>0325 ----- 63 [D]</td> </tr> <tr> <td colspan="6"></td> <td colspan="6"></td> <td colspan="6"></td> <td colspan="6"></td> <td colspan="6"></td> </tr> </table>																												1040 ----- 14 [D] ----- 1450																											10 -----													1725 ----- 43 [HT] ----- 2140																	0805 63 [D]																											0325 ----- 63 [D]																														
1040 ----- 14 [D] ----- 1450																											10 -----																																																																																																																				
												1725 ----- 43 [HT] ----- 2140																																																																																																																																			
0805 63 [D]																											0325 ----- 63 [D]																																																																																																																				
32 DSN COVERAGE	<table border="0"> <tr> <td colspan="12"></td> <td>1325 ----- 43 [D] ----- 1615</td> <td colspan="16"></td> </tr> <tr> <td colspan="12"></td> <td colspan="16"></td> <td>2240 ----- 43 [o] ----- 0530</td> </tr> <tr> <td colspan="4"></td> <td colspan="4"></td> <td colspan="4"></td> <td colspan="4"></td> <td colspan="4"></td> <td colspan="4"></td> <td colspan="4"></td> </tr> </table>																																								1325 ----- 43 [D] ----- 1615																																													2240 ----- 43 [o] ----- 0530																																																									
												1325 ----- 43 [D] ----- 1615																																																																																																																																			
																												2240 ----- 43 [o] ----- 0530																																																																																																																			
S/C 32 INITIAL CONDITIONS RTLTL: 38h 40m 44s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLTL 38h 40m 42s												█ 0000 RTLTL 38h 40m 40s																																																																																																																																		
XB DATA RATE(MI)													160(32)																																																																																																																																		
FDS MODE													CR-5T																																																																																																																																		
VGR COVERAGE	ON CALL												VGR				ON CALL																																																																																																																														
NOTES																																																																																																																																															
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8																																																																																																																						
UTC:	MAR 15														MAR 16																																																																																																																																

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
SUNDAY MARCH 16, 2025 075-076																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
S/C 31 INITIAL CONDITIONS	1200 RTLT 46h 5m 56s														0000 RTLT 46h 5m 54s																	
RTLTL: 46h 5m 58s																																
CCSL: A134																																
FDSL: 11AF																																
TWNC: ON																																
SB: OFF																																
XB: LOW																																
PYR: .10/.40/.95																																
GYROS: OFF																																
----- TLC (SHORT-FORM) -----																																
FDS MODE															CR-5T																	
XB DATA RATE(MI)															160(32)																	
31 DSN COVERAGE	1225 ----- 14 [D] ----- 1900														14 [D] 0745 -----																	
10.....													10.....																	
	----- 40 -----														-----																	
	----- 0825 63 [D] -----														0010 ----- 63 [D] ----- 0520																	
60.....													60.....																	
32 DSN COVERAGE	1320 ----- 43 [D] ----- 1825														0230-0800 ----- 43 [D] -----																	
	----- 40 -----													40.....																	
S/C 32 INITIAL CONDITIONS	1200 RTLT 38h 40m 38s														0000 RTLT 38h 40m 36s																	
RTLTL: 38h 40m 40s																																
CCSL: B207																																
FDSL: 11AF																																
TWNC:																																
SB: OFF																																
XB: LOW																																
PYR: .05/.30/.25																																
GYROS: OFF																																
XB DATA RATE(MI)															160(32)																	
FDS MODE															CR-5T																	
VGR COVERAGE	ON CALL																															
NOTES																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
UTC:	MAR 16														MAR 17																	

ISSUE DATE: 03/14/25 12:16

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
MONDAY MARCH 17, 2025 076-077																											
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 54s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLT 46h 5m 52s													0000 RTLT 46h 5m 50s													
FDS MODE	CR-5T													EL-40				CR-5T									
XB DATA RATE(MI)	160(32)													40(30)				160(32)									
31 DSN COVERAGE																											
32 DSN COVERAGE																											
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 36s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	1200 RTLT 38h 40m 34s													0000 RTLT 38h 40m 32s													
XB DATA RATE(MI)	160(32)																										
FDS MODE	CR-5T																										
VGR COVERAGE	ON CALL									VGR									ON CALL								
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	MAR 17													MAR 18													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
TUESDAY MARCH 18, 2025 077-078																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 50s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 5m 48s														█ 0000 RTLT 46h 5m 46s													
	1809 1810 PWS/RH														▼ 2311 REDUNDANT REASSERT CONFIG (21:16)													
	↓ 1809 GS-4B 1810																											
FDS MODE	CR-5T														CR-5T													
XB DATA RATE(MI)	160(32)														160(32)													
31 DSN COVERAGE	0930 ----- 14 [D] ----- 1730														2235 43 [H] ----- 0000													
 ----- 10													 ----- 40													
 ----- 60														0000 ----- 63 [D] ----- 0535													
 ----- 60													 ----- 60													
32 DSN COVERAGE	1355 ----- 43 [D] ----- 2125																											
 ----- 40																											
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 32s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLT 38h 40m 30s														█ 0000 RTLT 38h 40m 28s													
XB DATA RATE(MI)															160(32)													
FDS MODE															CR-5T													
VGR COVERAGE	ON CALL														VGR				ON CALL									
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 18														MAR 19													

ISSUE DATE: 03/14/25 12:16

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
WEDNESDAY MARCH 19, 2025 078-079																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 46s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLT 46h 5m 44s												0000 RTLT 46h 5m 42s													
FDS MODE	CR-5T																									
XB DATA RATE(MI)	160(32)																									
31 DSN COVERAGE	14 [D] 1245												10													
10.....40.....											60.....0340-0715 63 [D] 60.....													
32 DSN COVERAGE													0340-0750 43 [D]													
40.....																								
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 28s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	1200 RTLT 38h 40m 26s												0000 RTLT 38h 40m 26s													
XB DATA RATE(MI)	160(32)																									
FDS MODE	CR-5T																									
VGR COVERAGE	ON CALL																									
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 19												MAR 20													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1										
THURSDAY MARCH 20, 2025 079-080																																			
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8										
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 42s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	<p>1200 RTLT 46h 5m 40s</p> <p>PROP COARSE & FINE COUNTER MRO 1645↓</p> <p>ROLL DB = 0.25 1647↓</p> <p>YAW DB = 0.1 1648↓</p> <p>ROLL DB = 1.5 1748↓</p> <p>BAY 1 HTR OFF 1748↓</p> <p>DISABLE TCAPUF 1749↓</p> <p>SET BIT PATTERN TO BR1 1750↓</p> <p>ROLL SWITCH 1751↓</p> <p>BR2 B/U HEATERS ON 1754↓</p> <p>EL-40 1626↓</p> <p>1810 BR2 B/U HEATERS OFF</p> <p>1811 SET BIT PATTERN TO BR2</p> <p>1812 ROLL SWITCH</p> <p>1815 BAY 1 HTR ON</p> <p>1816 ENABLE TCAPUF</p> <p>2056 ROLL DB = 0.95</p> <p>2056 YAW DB = 0.42</p> <p>2059 PC QUEUE MRO</p> <p>2100 PC QUEUE POINTER MRO</p> <p>* 2117 REDUNDANT REASSERT CONFIG</p> <p>0000 RTLT 46h 5m 38s</p>																																		
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)											EL-40 40(30)																							
31 DSN COVERAGE	<p>1030 ----- 14 [D] ----- 1445</p> <p>1550 ----- 43 [D] ----- 2255</p> <p>0100 ----- 63 [D] ----- </p>																																		
32 DSN COVERAGE	<p>0010 ----- 43 [H1B] ----- 0440</p>																																		
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 26s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	<p>1200 RTLT 38h 40m 24s</p> <p>0000 RTLT 38h 40m 22s</p> <p>▼ 0132 DUMMY (5 MIN BRACKETED 15:13)</p>																																		
XB DATA RATE(MI) FDS MODE	160(32) CR-5T																																		
VGR COVERAGE	ON CALL							VGR							ON CALL							VGR							ON CALL						
NOTES	[1] DSS-43 HPTXR DRV OFF <= 06:10																																		
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8										
UTC:	MAR 20																MAR 21																		

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
FRIDAY MARCH 21, 2025 080-081																												
S/C 31 INITIAL CONDITIONS RTLTL: 46h 5m 38s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLTL 46h 5m 36s														█ 0000 RTLTL 46h 5m 34s													
FDS MODE XB DATA RATE(MI)															EL-40 40(30)													
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLTL: 38h 40m 22s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLTL 38h 40m 20s														█ 0000 RTLTL 38h 40m 18s													
XB DATA RATE(MI) FDS MODE															160(32) CR-5T													
VGR COVERAGE	ON CALL														VGR ON CALL													
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 21														MAR 22													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
SATURDAY MARCH 22, 2025 081-082																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS	█ 1200 RTLT 46h 5m 32s												█ 0000 RTLT 46h 5m 30s															
RTLTL: 46h 5m 34s																												
CCSL: A134																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .10/.40/.95																												
GYROS: OFF																												
FDS MODE															EL-40													
XB DATA RATE(MI)															40(30)													
31 DSN COVERAGE 10 40													
 60 60													
	63 [D] 1120												2345 63 [D] 0405															
32 DSN COVERAGE 1400 43 [D] 2135 40													
S/C 32 INITIAL CONDITIONS	█ 1200 RTLT 38h 40m 16s												█ 0000 RTLT 38h 40m 14s															
RTLTL: 38h 40m 18s																												
CCSL: B207																												
FDSL: 11AF																												
TWNC:																												
SB: OFF																												
XB: LOW																												
PYR: .05/.30/.25																												
GYROS: OFF																												
XB DATA RATE(MI)															160(32)													
FDS MODE															CR-5T													
VGR COVERAGE	ON CALL																											
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 22														MAR 23													

ISSUE DATE: 03/14/25 12:16

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
SUNDAY MARCH 23, 2025 082-083																												
S/C 31 INITIAL CONDITIONS RTLTL: 46h 5m 30s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLTL 46h 5m 28s														0000 RTLTL 46h 5m 26s													
FDS MODE XB DATA RATE(MI)															EL-40 40(30)													
31 DSN COVERAGE	14 [D] 0840-1845														10 40 60 0000 63 [D] 60													
32 DSN COVERAGE	1255 43 [D] 2230														40 0035 43 [D] 0700													
S/C 32 INITIAL CONDITIONS RTLTL: 38h 40m 14s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	1200 RTLTL 38h 40m 12s														0000 RTLTL 38h 40m 8s													
XB DATA RATE(MI) FDS MODE															160(32) CR-5T													
VGR COVERAGE	ON CALL							VGR							ON CALL							VGR						
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 23														MAR 24													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1											
MONDAY MARCH 24, 2025 083-084																																				
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8											
S/C 31 INITIAL CONDITIONS RTLTL: 46h 5m 26s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLTL 46h 5m 24s												█ 0000 RTLTL 46h 5m 22s																							
	↓ 0859 BAY 2 HTR OFF												↓ 0915 BAY 1 HTR ON																							
FDS MODE													EL-40																							
XB DATA RATE(MI)													40(30)																							
31 DSN COVERAGE 10 40 60 63 [D] 1000 2335 63 [D] 60																																			
32 DSN COVERAGE	1250 43 [D] 1755 40																																			
S/C 32 INITIAL CONDITIONS RTLTL: 38h 40m 8s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLTL 38h 40m 6s												█ 0000 RTLTL 38h 40m 4s																							
	↓ 1309 PARK LECP STEPPER MTR SECTOR 1												↓ 1338 LECP LEPT SUPP HTR OFF																							
	↓ 1322 EL-40												↓ 1738 CR-5T																							
	↓ 1438 LEPT OFF A												↓ 1538 LEPT OFF B																							
	↓ 1638 LECP OFF																																			
XB DATA RATE(MI)	160(32)												40(30)												160(32)											
FDS MODE	CR-5T												EL-40												CR-5T											
VGR COVERAGE	VGR ON CALL VGR ON CALL																																			
NOTES																																				
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8											
UTC:	MAR 24																MAR 25																			

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
TUESDAY MARCH 25, 2025 084-085																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 22s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 5m 20s												█ 0000 RTLT 46h 5m 18s													
	1744 █ 1746 PWS/RH																									
	↓ 1745 GS-4B 1746																									
FDS MODE	EL-40												CR-5T													
XB DATA RATE(MI)	40(30)												160(32)													
31 DSN COVERAGE	1250 ----- 14 [D] ----- 1835												14 [D] 0725 -----													
	----- 10 -----												----- 10 -----													
	----- 40 -----												----- 60 -----													
	0815 63 [D] -----												0245-0715 ----- 63 [D] -----													
	----- 60 -----												----- 60 -----													
32 DSN COVERAGE	1255 ----- 43 [D] ----- 1855												0120 ----- 43 [o] ----- 0550													
	----- 40 -----												----- 40 -----													
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 4s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLT 38h 40m 2s												█ 0000 RTLT 38h 40m 0s													
XB DATA RATE(MI)													160(32)													
FDS MODE													CR-5T													
VGR COVERAGE	ON CALL																									
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 25												MAR 26													

ISSUE DATE: 03/14/25 12:16

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
THURSDAY MARCH 27, 2025 086-087																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 14s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF					█ 1200																							
FDS MODE													CR-5T															
XB DATA RATE(MI)													160(32)															
31 DSN COVERAGE	-----14 [D]----- 0840-1600													-----10-----														
	-----10-----													-----40-----														
	-----60-----													0120 -----63 [D]----- 0700														
	-----60-----													-----60-----														
32 DSN COVERAGE	1350 -----43 [D]----- 2000													0330-0715 -----43 [D]-----														
	-----40-----													-----40-----														
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 56s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF					█ 1200																							
XB DATA RATE(MI)													160(32)															
FDS MODE													CR-5T															
VGR COVERAGE													ON CALL															
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 27														MAR 28													

ISSUE DATE: 03/14/25 12:16

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
FRIDAY MARCH 28, 2025 087-088																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 10s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 5m 8s												█ 0000 RTLT 46h 5m 8s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	0845 ----- 14 [D] ----- 1345 ----- 10 ----- ----- 40 -----												----- 10 ----- 0040 ----- 63 [D] ----- 0610 ----- 60 -----												
32 DSN COVERAGE	1335 ----- 43 [D] ----- 1540 ----- 40 -----												0055 ----- 43 [H1Bo] ----- 0530 ----- 40 -----												
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 52s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLT 38h 39m 50s												█ 0000 RTLT 38h 39m 48s												
XB DATA RATE(MI)													160(32)												
FDS MODE													CR-5T												
VGR COVERAGE	ON CALL												VGR			ON CALL									
NOTES	[1] DSS-43 HPTXR DRV OFF <= 05:40																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 28												MAR 29												

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
SATURDAY MARCH 29, 2025 088-089																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLTL: 46h 5m 8s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	<div style="display: flex; justify-content: space-between;"> <div> <p>1200 RTLTL 46h 5m 6s</p> <p>1538 SSB (13:43)</p> <p>1550 EL-40 (13:55)</p> <p>1611 CCSL A135 (14:16)</p> <p>1653 CCSTIM F/C (14:58)</p> <p>1721 AHELI2 CCS SID MRO, CR-5T (15:26)</p> <p>U/L 1750 - - - - - - TLC (SHORT-FORM)</p> </div> <div> <p>0000 RTLTL 46h 5m 4s</p> </div> </div>																									
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)												
31 DSN COVERAGE	<p>0855 ----- 14 [D] ----- 1530</p> <p>----- 10 ----- ----- 1510 ----- 43 [HT] ----- 2020</p> <p>----- 60 ----- ----- 40 ----- ----- 0020 ----- 63 [D] ----- 0525</p> <p>----- 60 ----- ----- 60 ----- </p>																									
32 DSN COVERAGE	<p>----- 2105 ----- 43 [D] ----- 0330</p> <p>----- 40 ----- ----- 40 ----- </p>																									
S/C 32 INITIAL CONDITIONS RTLTL: 38h 39m 48s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	<div style="display: flex; justify-content: space-between;"> <div> <p>1200 RTLTL 38h 39m 46s</p> </div> <div> <p>0000 RTLTL 38h 39m 42s</p> </div> </div>																									
XB DATA RATE(MI) FDS MODE														160(32) CR-5T												
VGR COVERAGE	ON CALL								VGR								ON CALL									
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 29													MAR 30												

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
SUNDAY MARCH 30, 2025 089-090																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLTL: 46h 5m 4s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLTL 46h 5m 2s												█ 0000 RTLTL 46h 5m 0s															
----- TLC (SHORT-FORM) -----																												
FDS MODE														CR-5T														
XB DATA RATE(MI)														160(32)														
31 DSN COVERAGE	----- 14 [D] ----- 0825 -1355														----- 63 [D] -----													
	----- 10 -----										----- 40 -----										----- 10 -----							
	----- 60 -----																		----- 60 -----									
32 DSN COVERAGE	1225 ----- 43 [D] ----- 2340																											
	----- 40 -----																											
S/C 32 INITIAL CONDITIONS RTLTL: 38h 39m 42s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLTL 38h 39m 40s												█ 0000 RTLTL 38h 39m 38s															
XB DATA RATE(MI)														160(32)														
FDS MODE														CR-5T														
VGR COVERAGE	ON CALL																											
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 30														MAR 31													

ISSUE DATE: 03/14/25 12:16

