


# VOYAGER

## Space Flight Operations Schedule (SFOS)

Issue Date: March 19, 2025

For the Period: 03/20/25 to 04/07/25 (25/079 – 25/097)



Posted at <https://voyager.jpl.nasa.gov/mission/status/>

**LEGEND:**

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- \* = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
THURSDAY MARCH 20, 2025 079-080																												
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 42s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLT 46h 5m 40s PROP COARSE & FINE COUNTER MRO 1645↓ ROLL DB = 0.25 1647↓ YAW DB = 0.1 1648↓ ROLL DB = 1.5 1748↓ BAY 1 HTR OFF 1748↓ DISABLE TCAPUF 1749↓ SET BIT PATTERN TO BR1 1750↓ ROLL SWITCH 1751↓ BR2 B/U HEATERS ON 1754↓ EL-40 1626↓												1810 BR2 B/U HEATERS OFF 1811 SET BIT PATTERN TO BR2 1812 ROLL SWITCH 1815 BAY 1 HTR ON 1816 ENABLE TCAPUF 2056 ROLL DB = 0.95 2056 YAW DB = 0.42 2059 PC QUEUE MRO 2100 PC QUEUE POINTER MRO * 2117 REDUNDANT REASSERT CONFIG												0000 RTLT 46h 5m 38s			
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												EL-40 40(30)															
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 26s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	1200 RTLT 38h 40m 24s												0000 RTLT 38h 40m 22s ▼ 0132 DUMMY (5 MIN BRACKETED 16:13)															
XB DATA RATE(MI) FDS MODE	160(32) CR-5T																											
VGR COVERAGE	ON CALL								VGR								ON CALL											
NOTES	[1] DSS-43 HPTXR DRV OFF <= 06:10																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 20														MAR 21													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
FRIDAY MARCH 21, 2025 080-081	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 38s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 5m 36s												█ 0000 RTLT 46h 5m 34s												
FDS MODE	EL-40												EL-40												
XB DATA RATE(MI)	40(30)												40(30)												
31 DSN COVERAGE	.....  10 .....												.....  10 .....												
	1540  -----  43 [HT]  -----  2140												.....  40 .....												
	63 [D]  -----  1125												0030  -----  63 [D]  -----  60												
32 DSN COVERAGE	.....  40 .....												.....  40 .....												
	2240-0735  -----  43 [o]  -----												.....  40 .....												
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 22s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLT 38h 40m 20s												█ 0000 RTLT 38h 40m 18s												
XB DATA RATE(MI)	160(32)												160(32)												
FDS MODE	CR-5T												CR-5T												
VGR COVERAGE	ON CALL												VGR												
NOTES	ON CALL												ON CALL												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 21												MAR 22												

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
SATURDAY MARCH 22, 2025 081-082																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS	█ 1200 RTLT 46h 5m 32s												█ 0000 RTLT 46h 5m 30s															
RTLT: 46h 5m 34s																												
CCSL: A134																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .10/.40/.95																												
GYROS: OFF																												
FDS MODE	EL-40																											
XB DATA RATE(MI)	40(30)																											
31 DSN COVERAGE	<p>1100  -----  14 [D]  -----  1505</p> <p>..... -----  10 ..... -----  40 ..... -----  2345  -----  63 [D]  -----  0405</p> <p>..... -----  60 ..... -----  60</p>																											
32 DSN COVERAGE	<p>1400  -----  43 [D]  -----  2135</p> <p>..... -----  40 ..... ----- </p>																											
S/C 32 INITIAL CONDITIONS	█ 1200 RTLT 38h 40m 16s												█ 0000 RTLT 38h 40m 14s															
RTLT: 38h 40m 18s																												
CCSL: B207																												
FDSL: 11AF																												
TWNC:																												
SB: OFF																												
XB: LOW																												
PYR: .05/.30/.25																												
GYROS: OFF																												
XB DATA RATE(MI)	160(32)																											
FDS MODE	CR-5T																											
VGR COVERAGE	ON CALL																											
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 22														MAR 23													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1							
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
SUNDAY MARCH 23, 2025 082-083																																
S/C 31 INITIAL CONDITIONS RTLTL: 46h 5m 30s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLTL 46h 5m 28s														0000 RTLTL 46h 5m 26s																	
FDS MODE XB DATA RATE(MI)															EL-40 40(30)																	
31 DSN COVERAGE																																
32 DSN COVERAGE																																
S/C 32 INITIAL CONDITIONS RTLTL: 38h 40m 14s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	1200 RTLTL 38h 40m 12s														0000 RTLTL 38h 40m 8s																	
XB DATA RATE(MI) FDS MODE															160(32) CR-5T																	
VGR COVERAGE	ON CALL								VGR								ON CALL								VGR							
NOTES																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
UTC:	MAR 23														MAR 24																	

ISSUE DATE: 03/19/25 14:33

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
MONDAY MARCH 24, 2025 083-084																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 46h 5m 26s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLTL 46h 5m 24s												█ 0000 RTLTL 46h 5m 22s												
FDS MODE	EL-40																								
XB DATA RATE(MI)	40(30)																								
31 DSN COVERAGE	..... 10 .....   ..... 40 .....   ..... 60 .....   ..... 63 [D] .....   ..... 1000 .....   ..... 2335 .....   ..... 63 [D] .....   ..... 60 .....																								
32 DSN COVERAGE	1250   ..... 43 [D] .....   1755 .....   ..... 40 .....																								
S/C 32 INITIAL CONDITIONS RTLTL: 38h 40m 8s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLTL 38h 40m 6s												█ 0000 RTLTL 38h 40m 4s												
	↓ 1309 PARK LECP STEPPER MTR SECTOR 1 ↓ 1338 LECP LEPT SUPP HTR OFF ↓ 1438 LEPT OFF A ↓ 1538 LEPT OFF B ↓ 1638 LECP OFF ↓ 1322 EL-40                      ↓ 1738 CR-5T																								
XB DATA RATE(MI)	160(32)						40(30)						160(32)												
FDS MODE	CR-5T						EL-40						CR-5T												
VGR COVERAGE	VGR						ON CALL						VGR						ON CALL						
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 24												MAR 25												

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1					
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8					
TUESDAY MARCH 25, 2025 084-085																														
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 22s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 5m 20s												█ 0000 RTLT 46h 5m 18s																	
	1745   1746 PWS/RH																													
	↓ 1745 GS-4B 1746																													
FDS MODE	EL-40														CR-5T															
XB DATA RATE(MI)	40(30)														160(32)															
31 DSN COVERAGE	1250  ----- 14 [D] -----  1835														14 [D] 0725  ----- 10 -----															
	----- 10 -----														----- 40 -----															
	0815 63 [D]  ----- 60 -----																		0245-0715  ----- 63 [D] -----						----- 60 -----					
32 DSN COVERAGE	1255  ----- 43 [D] -----  1855														0055  ----- 43 [o] -----  0550															
	----- 40 -----														----- 40 -----															
S/C 32 INITIAL CONDITIONS RTLT: 38h 40m 4s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLT 38h 40m 2s												█ 0000 RTLT 38h 40m 0s																	
XB DATA RATE(MI)															160(32)															
FDS MODE															CR-5T															
VGR COVERAGE	ON CALL																													
NOTES																														
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8					
UTC:	MAR 25														MAR 26															





PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
THURSDAY MARCH 27, 2025 086-087																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 14s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF					█ 1200																							
FDS MODE														CR-5T														
XB DATA RATE(MI)														160(32)														
31 DSN COVERAGE	----- 14 [D] -----  0840-1600														----- 10 -----													
	----- 60 -----														----- 40 -----													
															0120  ----- 63 [D] -----  0700													
															----- 60 -----													
32 DSN COVERAGE	1350  ----- 43 [D] -----  2000														0330-0715  ----- 43 [D] -----													
	----- 40 -----														----- 40 -----													
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 56s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF					█ 1200																							
XB DATA RATE(MI)														160(32)														
FDS MODE														CR-5T														
VGR COVERAGE														ON CALL														
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 27														MAR 28													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
FRIDAY MARCH 28, 2025 087-088																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 10s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 5m 8s												█ 0000 RTLT 46h 5m 8s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	0845  ----- 14 [D] -----  1345  ----- 10 -----   ----- 40 -----												----- 10 -----  0040  ----- 63 [D] -----  0610  ----- 60 -----												
32 DSN COVERAGE	1335  ----- 43 [D] -----  1540  ----- 40 -----												0055  ----- 43 [H1Bo] -----  0530  ----- 40 -----												
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 52s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLT 38h 39m 50s												█ 0000 RTLT 38h 39m 48s												
XB DATA RATE(MI)													160(32)												
FDS MODE													CR-5T												
VGR COVERAGE	ON CALL												VGR			ON CALL									
NOTES	[1] DSS-43 HPTXR DRV OFF <= 05:40																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 28												MAR 29												




PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
SUNDAY MARCH 30, 2025 089-090																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS	█ 1200 RTLTL 46h 5m 2s												█ 0000 RTLTL 46h 5m 0s													
RTLTL: 46h 5m 4s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	----- TLC (SHORT-FORM) -----																									
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE	----- 14 [D] -----  0825 -1355												----- 63 [D] -----													
	----- 10 -----												----- 10 -----													
	----- 40 -----												----- 60 -----													
	----- 60 -----												----- 60 -----													
32 DSN COVERAGE	1225  ----- 43 [D] -----  2340																									
	----- 40 -----																									
S/C 32 INITIAL CONDITIONS	█ 1200 RTLTL 38h 39m 40s												█ 0000 RTLTL 38h 39m 38s													
RTLTL: 38h 39m 42s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF																										
XB DATA RATE(MI)													160(32)													
FDS MODE													CR-5T													
VGR COVERAGE	ON CALL																									
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 30													MAR 31												

ISSUE DATE: 03/19/25 14:33

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8					
MONDAY MARCH 31, 2025 090-091																																					
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8												
S/C 31 INITIAL CONDITIONS RTLTL: 46h 5m 0s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	<div style="display: flex; justify-content: space-between;"> <span>█ 1200 RTLTL 46h 4m 58s</span> <span>█ 0000 RTLTL 46h 4m 58s</span> </div> <p style="text-align: center;">             * 1344 SSB              * 1417 * 1424 A135 CHKSUM              * 1459 * 1506 CCSTIM FINE              * 1516 * 1519 COARSE              * 1527 AHEL12 CCS SID MRO           </p> <p style="text-align: center;">----- TLC (SHORT-FORM) -----   D/L -  1723</p> <p style="text-align: center;">             * EL-40 1356 * 1528 CR-5T           </p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">FDS MODE</td> <td style="width: 33%;">CR-5T</td> <td style="width: 33%;">CR-5T</td> </tr> <tr> <td>XB DATA RATE(MI)</td> <td>160(32)</td> <td>160(32)</td> </tr> </table>																												FDS MODE	CR-5T	CR-5T	XB DATA RATE(MI)	160(32)	160(32)			
FDS MODE	CR-5T	CR-5T																																			
XB DATA RATE(MI)	160(32)	160(32)																																			
31 DSN COVERAGE	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">1320  -----  14 [D]  -----  1810</td> <td style="width: 33%;"></td> <td style="width: 33%;">14 [D] 0705  ----- </td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">40</td> <td style="text-align: center;">10</td> </tr> <tr> <td style="text-align: center;">60</td> <td style="text-align: center;">60</td> <td style="text-align: center;">60</td> </tr> </table>																												1320  -----  14 [D]  -----  1810		14 [D] 0705  -----	10	40	10	60	60	60
1320  -----  14 [D]  -----  1810		14 [D] 0705  -----																																			
10	40	10																																			
60	60	60																																			
32 DSN COVERAGE	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">1230  -----  43 [D]  -----  2040</td> <td style="width: 33%;"></td> <td style="width: 33%;"></td> </tr> <tr> <td style="text-align: center;">40</td> <td style="text-align: center;">40</td> <td style="text-align: center;">40</td> </tr> </table>																												1230  -----  43 [D]  -----  2040			40	40	40			
1230  -----  43 [D]  -----  2040																																					
40	40	40																																			
S/C 32 INITIAL CONDITIONS RTLTL: 38h 39m 38s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	<div style="display: flex; justify-content: space-between;"> <span>█ 1200 RTLTL 38h 39m 36s</span> <span>█ 0000 RTLTL 38h 39m 34s</span> </div>																																				
XB DATA RATE(MI) FDS MODE	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"></td> <td style="width: 50%;">160(32)</td> </tr> <tr> <td></td> <td>CR-5T</td> </tr> </table>																													160(32)		CR-5T					
	160(32)																																				
	CR-5T																																				
VGR COVERAGE	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">ON CALL</td> <td style="width: 33%;">VGR</td> <td style="width: 33%;">ON CALL</td> </tr> </table>																												ON CALL	VGR	ON CALL						
ON CALL	VGR	ON CALL																																			
NOTES																																					
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8												
UTC:	MAR 31														APR 01																						

ISSUE DATE: 03/19/25 14:33











ISSUE DATE: 03/19/25 14:33



PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
SATURDAY APRIL 5, 2025 095-096																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLTL: 46h 4m 46s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLTL 46h 4m 44s												█ 0000 RTLTL 46h 4m 42s															
----- TLC (SHORT-FORM) -----																												
FDS MODE													CR-5T															
XB DATA RATE(MI)													160(32)															
31 DSN COVERAGE	..... 10 .....												..... 10 .....															
	1520  ----- 43 [D] -----  1945												..... 40 .....															
	..... 60 .....												..... 60 .....															
32 DSN COVERAGE	1330   43 [D]   1430												2100  ----- 43 [H1] -----  0510															
	..... 40 .....												..... 40 .....															
S/C 32 INITIAL CONDITIONS RTLTL: 38h 39m 16s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLTL 38h 39m 12s												█ 0000 RTLTL 38h 39m 10s															
													▼ 2235 NDATA MRO (13:14)															
XB DATA RATE(MI)													160(32)															
FDS MODE													CR-5T															
VGR COVERAGE	ON CALL												VGR						ON CALL									
NOTES	[1] DSS-43 HPTXR DRV OFF <= 05:10																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	APR 05														APR 06													

ISSUE DATE: 03/19/25 14:33



PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
MONDAY APRIL 7, 2025 097-098																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 40s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	█ 1200 RTLT 46h 4m 38s												█ 0000 RTLT 46h 4m 38s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	0935  ----- 14 [D] -----  1420												----- 10 -----												
	----- 10 -----												----- 40 -----												
	----- 60 -----												----- 60 -----												
32 DSN COVERAGE	1155  ----- 43 [D] -----  1625												----- 40 -----												
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 6s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .05/.30/.25 GYROS: OFF	█ 1200 RTLT 38h 39m 4s												█ 0000 RTLT 38h 39m 0s												
	* ↓ 1315 NDATA MRO																								
XB DATA RATE(MI)													160(32)												
FDS MODE													CR-5T												
VGR COVERAGE	ON CALL						VGR						ON CALL												
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	APR 07												APR 08												