


VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: March 26, 2025

For the Period: 03/27/25 to 04/14/25 (25/086 – 25/104)




Posted at <https://voyager.jpl.nasa.gov/mission/status/>

LEGEND:

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

ISSUE DATE: 03/26/25 15:16




PDT:		012345678910111213141516171819202122230																							
FRIDAY MARCH 28, 2025 087-088																									
UTC:		789101112131415161718192021222301234567																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 10s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 5m 8s 0000 RTLT 46h 5m 8s																							
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)																							
31 DSN COVERAGE		0840 14 [D] 1345 10 10 40 0715 63 [D] 60 0035 63 [D] 0610 60																							
32 DSN COVERAGE		0715 43 [D] 40 1330 43 [D] 1540 40 0055 43 [H1Bo] 0530																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 52s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 39m 50s 0000 RTLT 38h 39m 48s																							
FDS MODE XB DATA RATE(MI)		EL-40 40(30)																							
VGR COVERAGE		ON CALLVGRON CALL																							
NOTES		[1] DSS-43 HPTXR DRV OFF <= 05:40																							
UTC:		789101112131415161718192021222301234567																							
UTC:		MAR 28												MAR 29											

ISSUE DATE: 03/26/25 15:16


PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0	
SATURDAY MARCH 29, 2025 088-089	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 8s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLT 46h 5m 6s 0000 RTLT 46h 5m 4s 1538 SSB (13:43) 1550 EL-40 (13:55) 1611 CCSL A135 (14:16) 1653 CCSTIM F/C (14:58) 1721 AHELI2 CCS SID MRO CR-5T (15:26) U/L 1750 - - - - - - TLC (SHORT-FORM) - - - - -
FDS MODE	CR-5T
XB DATA RATE(MI)	160(32)
31 DSN COVERAGE	0850 14 [D] 1530 10 1500 43 [HT] 2020 40 0015 63 [D] 0525 60 60
32 DSN COVERAGE	40 40
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 48s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	1200 RTLT 38h 39m 46s 0000 RTLT 38h 39m 42s
FDS MODE	EL-40
XB DATA RATE(MI)	40(30)
VGR COVERAGE	ON CALL VGR ON CALL
NOTES	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
UTC: MAR 29 MAR 30	

PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
SUNDAY MARCH 30, 2025 089-090																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 4s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 5m 2s 0000 RTLT 46h 5m 0s																							
		----- TLC (SHORT-FORM) -----																							
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
31 DSN COVERAGE		0820 14 [D] 1510 10 40 2330 63 [D] 60																							
32 DSN COVERAGE		1225 43 [D] 2340 40 40																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 42s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 39m 40s 0000 RTLT 38h 39m 38s																							
		1613 CR-5T																							
FDS MODE		EL-40												CR-5T											
XB DATA RATE(MI)		40(30)												160(40)											
VGR COVERAGE		ON CALL												VGR				ON CALL							
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		MAR 30												MAR 31											


ISSUE DATE: 03/26/25 15:16




ISSUE DATE: 03/26/25 15:16




ISSUE DATE: 03/26/25 15:16



ISSUE DATE: 03/26/25 15:16




ISSUE DATE: 03/26/25 15:16




PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
SATURDAY APRIL 5, 2025 095-096																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 46s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 4m 44s 0000 RTLT 46h 4m 42s TLC (SHORT-FORM) FDS MODE CR-5T XB DATA RATE(MI) 160(32) 31 DSN COVERAGE 10 1520 43 [D] 1945 40 60																							
32 DSN COVERAGE		1330 43 [D] 1430 2100 43 [Ho1] 0510 40																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 16s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 39m 12s 0000 RTLT 38h 39m 10s 2235 NDATA MRO (13:14) FDS MODE CR-5T XB DATA RATE(MI) 160(40)																							
VGR COVERAGE		ON CALL VGR ON CALL																							
NOTES		[1] DSS-43 HPTXR DRV OFF <= 05:10																							
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		APR 05												APR 06											


ISSUE DATE: 03/26/25 15:16



ISSUE DATE: 03/26/25 15:16




ISSUE DATE: 03/26/25 15:16




PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
WEDNESDAY APRIL 9, 2025 099-100																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 36s CCSL: A135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 4m 34s 0000 RTLT 46h 4m 34s																							
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
31 DSN COVERAGE		14 [D] 1335 10 40 60 0225 63 [D] 60																							
32 DSN COVERAGE		1255 43 [D] 2140 40																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 38m 56s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 38m 54s 0000 RTLT 38h 38m 52s PROP COARSE & FINE COUNTER MRO 1917↓ BAY 1 HTR OFF 1919↓ BR1 B/U HEATERS ON 1922↓ DISABLE TCAPUF 2019↓ BR1 B/U HEATERS OFF 2020↓ SET BIT PATTERN TO BR1 2021↓ ROLL SWITCH 2022↓ EL-40 1859↓ 2023 ENABLE TCAPUF 2026 BAY 1 HTR ON 2028 PC QUEUE MRO 2030 PC QUEUE POINTER MRO																							
FDS MODE		CR-5T												EL-40											
XB DATA RATE(MI)		160(32)												40(30)											
VGR COVERAGE		ON CALL												VGR				ON CALL							
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		APR 09												APR 10											

PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
THURSDAY APRIL 10, 2025 100-101																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 34s CCSL: A135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 4m 32s 0000 RTLT 46h 4m 32s																										
FDS MODE		CR-5T																										
XB DATA RATE(MI)		160(32)																										
31 DSN COVERAGE		10 40 60 0730 63 [D] 0600 63 [D]																										
32 DSN COVERAGE		1230 43 [D] 1630 40																										
S/C 32 INITIAL CONDITIONS RTLT: 38h 38m 52s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 38m 48s 0000 RTLT 38h 38m 46s																										
FDS MODE		EL-40																										
XB DATA RATE(MI)		40(30)																										
VGR COVERAGE		ON CALL																										
NOTES																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		APR 10														APR 11												


ISSUE DATE: 03/26/25 15:16



ISSUE DATE: 03/26/25 15:16



ISSUE DATE: 03/26/25 15:16



PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
MONDAY APRIL 14, 2025 104-105																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 26s CCSL: A135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLT 46h 4m 26s 0000 RTLT 46h 4m 24s																								
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
31 DSN COVERAGE	10 40 2250 63 [D] 60																								
32 DSN COVERAGE	1515 43 [D] 2140 40																								
S/C 32 INITIAL CONDITIONS RTLT: 38h 38m 32s CCSL: B207 FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	1200 RTLT 38h 38m 30s 0000 RTLT 38h 38m 28s																								
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(40)																								
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	APR 14 Day 10 of 12																	APR 15							