


VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: March 27, 2025

For the Period: 03/27/25 to 04/14/25 (25/086 – 25/104)




Posted at <https://voyager.jpl.nasa.gov/mission/status/>

LEGEND:

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

ISSUE DATE: 03/27/25 09:47




PDT:		0																								7	
FRIDAY																											
MARCH 28, 2025																											
087-088																											
UTC:		7																								7	
S/C 31																											
INITIAL CONDITIONS																											
RTLT: 46h 5m 10s																											
CCSL: A134																											
FDSL: 11AF																											
TWNC: ON																											
SB: OFF																											
KB: LOW																											
PYR: .10/.40/.95																											
GYROS: OFF																											
FDS MODE																											
XB DATA RATE(MI)																											
31 DSN COVERAGE																											
32 DSN COVERAGE																											
S/C 32																											
INITIAL CONDITIONS																											
RTLT: 38h 39m 52s																											
CCSL: B207																											
FDSL: 11AF																											
TWNC: ON																											
SB: OFF																											
KB: LOW																											
PYR: .10/.30/.95																											
GYROS: OFF																											
FDS MODE																											
XB DATA RATE(MI)																											
VGR COVERAGE																											
NOTES																											
UTC:		7																								7	
UTC:		MAR 28																								MAR 29	

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
SATURDAY MARCH 29, 2025 088-089																																
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7							
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 8s CCSL: A134 FDSL: 11AF FWNC: ON SB: OFF KB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLT 46h 5m 6s 0000 RTLT 46h 5m 4s ▼ 1538 SSB (13:43) ▼ 1550 EL-40 (13:55) ▼ 1611 CCSL A135 (14:16) ▼ 1653 CCSTIM F/C (14:58) ▼ 1721 AHeli2 CCS SID MRO CR-5T (15:26) U/L 1750 - - - - - - TLC (SHORT-FORM) - - - - -																															
FDS MODE	CR-5T																															
XB DATA RATE(MI)	160(32)																															
B1 DSN COVERAGE	0850 ----- 14 [D] ----- 1530 ----- 10 1500 ----- 43 [HT] ----- 2020 ----- 40 ----- 60 ----- 0015 ----- 63 [D] ----- 0525 ----- 60																															
B2 DSN COVERAGE	----- 40 ----- 40																															
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 48s CCSL: B207 FDSL: 11AF FWNC: ON SB: OFF KB: LOW PYR: .10/.30/.95 GYROS: OFF	1200 RTLT 38h 39m 46s 0000 RTLT 38h 39m 42s																															
FDS MODE	EL-40																															
XB DATA RATE(MI)	40(30)																															
VGR COVERAGE	ON CALL																															
NOTES																																
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7							
UTC:	MAR 29														MAR 30																	


ISSUE DATE: 03/27/25 09:47

PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
SUNDAY MARCH 30, 2025 089-090																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 4s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 5m 2s 0000 RTLT 46h 5m 0s																										
		----- TLC (SHORT-FORM) -----																										
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
31 DSN COVERAGE		0820 14 [D] 1510 10 40 2330 63 [D] 60 10																										
32 DSN COVERAGE		40 1225 43 [D] 2340 40																										
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 42s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 39m 40s 0000 RTLT 38h 39m 38s																										
		1613 CR-5T																										
FDS MODE		EL-40													CR-5T													
XB DATA RATE(MI)		40(30)													160(40)													
VGR COVERAGE		ON CALL													VGR	ON CALL												
NOTES																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		MAR 30																		MAR 31								


ISSUE DATE: 03/27/25 09:47




ISSUE DATE: 03/27/25 09:47




ISSUE DATE: 03/27/25 09:47



ISSUE DATE: 03/27/25 09:47




ISSUE DATE: 03/27/25 09:47




PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
SATURDAY																									
APRIL 5, 2025																									
095-096																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 46s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF KB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 4m 44s 0000 RTLT 46h 4m 42s TLC (SHORT-FORM) CR-5T 160(32) 10 1520 43 [D] 1945 40 60 60																							
31 DSN COVERAGE																									
32 DSN COVERAGE		1330 43 [D] 1430 2045 43 [o] 0510 40																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 16s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF KB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 39m 12s 0000 RTLT 38h 39m 10s																							
FDS MODE XB DATA RATE(MI)		CR-5T 160(40)																							
VGR COVERAGE		ON CALL VGR ON CALL																							
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		APR 05												APR 06											


ISSUE DATE: 03/27/25 09:47



ISSUE DATE: 03/27/25 09:47




ISSUE DATE: 03/27/25 09:47




ISSUE DATE: 03/27/25 09:47

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0	
WEDNESDAY	
APRIL 9, 2025	
099-100	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 36s CCSL: A135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLT 46h 4m 34s0000 RTLT 46h 4m 34s
FDS MODE	CR-5T
XB DATA RATE(MI)	160(32)
31 DSN COVERAGE	14 [D] 13351040022563 [D]60
32 DSN COVERAGE	125543 [D]214040
S/C 32 INITIAL CONDITIONS RTLT: 38h 38m 56s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	1200 RTLT 38h 38m 54s0000 RTLT 38h 38m 52s PROP COARSE & FINE COUNTER MRO 1917↓ ↓ 2023 ENABLE TCAPUF BAY 1 HTR OFF 1919↓ ↓ 2026 BAY 1 HTR ON BR1 B/U HEATERS ON 1922↓ ↓ 2028 PC QUEUE MRO DISABLE TCAPUF 2019↓↓ 2030 PC QUEUE POINTER MRO BR1 B/U HEATERS OFF 2020↓ SET BIT PATTERN TO BR1 2021↓ ROLL SWITCH 2022↓ EL-40 1859↓
FDS MODE	CR-5T
XB DATA RATE(MI)	160(32)
	EL-40
	40(30)
VGR COVERAGE	ON CALLVGRON CALL
NOTES	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
UTC: APR 09APR 10	


ISSUE DATE: 03/27/25 09:47




ISSUE DATE: 03/27/25 09:47



ISSUE DATE: 03/27/25 09:47



ISSUE DATE: 03/27/25 09:47



PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
MONDAY																									
APRIL 14, 2025																									
104-105																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 26s CCSL: A135 FDSL: 11AF TWNC: ON SB: OFF KB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 4m 26s 0000 RTLT 46h 4m 24s																							
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
31 DSN COVERAGE		10 40 2250 63 [D] 60																							
32 DSN COVERAGE		1515 43 [D] 2140 40																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 38m 32s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF KB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 38m 30s 0000 RTLT 38h 38m 28s																							
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(40)																							
VGR COVERAGE		ON CALL																							
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		APR 14												APR 15											