


VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: April 2, 2025

For the Period: 03/27/25 to 04/14/25 (25/086 – 25/104)




Posted at <https://voyager.jpl.nasa.gov/mission/status/>

LEGEND:


- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

ISSUE DATE: 04/02/25 12:05




PDT:		012345678910111213141516171819202122230																							
FRIDAY MARCH 28, 2025 087-088																									
UTC:		789101112131415161718192021222301234567																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 10s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 5m 8s0000 RTLT 46h 5m 8s																							
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)																							
31 DSN COVERAGE		14 [D]0700 - 1345104010600715 63 [D]003563 [D]0610																							
32 DSN COVERAGE		0715 43 [D]133043 [D]1540005543 [H1Bo]05304040																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 52s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 39m 50s0000 RTLT 38h 39m 48s																							
FDS MODE XB DATA RATE(MI)		EL-40 40(30)																							
VGR COVERAGE		ON CALLVGRON CALL																							
NOTES		[1] DSS-43 HPTXR DRV OFF <= 05:40																							
UTC:		789101112131415161718192021222301234567																							
UTC:		MAR 28												MAR 29											

ISSUE DATE: 04/02/25 12:05




PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
SUNDAY MARCH 30, 2025 089-090																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 5m 4s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 5m 2s 0000 RTLT 46h 5m 0s ----- TLC (SHORT-FORM) ----- FDS MODE CR-5T XB DATA RATE(MI) 160(32)																							
31 DSN COVERAGE		0820 14 [D] 1510 10 40 2330 63 [D] 60																							
32 DSN COVERAGE		1225 43 [o] 2340 40 40																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 42s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 39m 40s 0000 RTLT 38h 39m 38s 1613 CR-5T FDS MODE EL-40 CR-5T XB DATA RATE(MI) 40(30) 160(40)																							
VGR COVERAGE		ON CALL												VGR		ON CALL									
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		MAR 30												MAR 31											

ISSUE DATE: 04/02/25 12:05




ISSUE DATE: 04/02/25 12:05




PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
WEDNESDAY																									
APRIL 2, 2025																									
092-093																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31																									
INITIAL CONDITIONS		1200 RTLT 46h 4m 52s 0000 RTLT 46h 4m 52s																							
RTLT: 46h 4m 54s																									
CCSL: A134																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
KB: LOW																									
PYR: .10/.40/.95																									
GYROS: OFF																									
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
31 DSN COVERAGE		14 [D] 0700-1100 14 [D] 0635 10 10 40 2330 63 [D] 0400 60 60																							
32 DSN COVERAGE		1330 43 [D] 1840 40																							
S/C 32																									
INITIAL CONDITIONS		1200 RTLT 38h 39m 26s 0000 RTLT 38h 39m 24s																							
RTLT: 38h 39m 30s																									
CCSL: B207																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
KB: LOW																									
PYR: .10/.30/.95																									
GYROS: OFF																									
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(40)																							
VGR COVERAGE		ON CALL																							
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		APR 02												APR 03											

ISSUE DATE: 04/02/25 12:05




ISSUE DATE: 04/02/25 12:05




PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY APRIL 5, 2025 095-096																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 46s CCSL: A134 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF FDS MODE XB DATA RATE(MI) 1200 RTLT 46h 4m 44s 0000 RTLT 46h 4m 42s TLC (SHORT-FORM) CR-5T 160(32) 31 DSN COVERAGE 10 1520 43 [D] 1945 40 60																									
32 DSN COVERAGE 1330 43 [D] 1430 2045 43 [O] 0510 40																									
S/C 32 INITIAL CONDITIONS RTLT: 38h 39m 16s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF FDS MODE XB DATA RATE(MI) 1200 RTLT 38h 39m 12s 0000 RTLT 38h 39m 10s CR-5T 160(40)																									
VGR COVERAGE ON CALL VGR ON CALL NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
APR 05																	APR 06								


ISSUE DATE: 04/02/25 12:05



ISSUE DATE: 04/02/25 12:05



ISSUE DATE: 04/02/25 12:05



ISSUE DATE: 04/02/25 12:05

PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
WEDNESDAY																												
APRIL 9, 2025																												
099-100																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 36s CCSL: A135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 4m 34s													0000 RTLT 46h 4m 34s													
FDS MODE		CR-5T																										
XB DATA RATE(MI)		160(32)																										
31 DSN COVERAGE		14 [D] 1335 10 40 0225 63 [D] 60																										
32 DSN COVERAGE		1255 43 [D] 2140 40																										
S/C 32 INITIAL CONDITIONS RTLT: 38h 38m 56s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 38m 54s													0000 RTLT 38h 38m 52s													
		PROP COARSE & FINE COUNTER MRO 1917↓													2023 ENABLE TCAPUF													
		BAY 1 HTR OFF 1919↓													2026 BAY 1 HTR ON													
		BR1 B/U HEATERS ON 1922↓													2028 PC QUEUE MRO													
		DISABLE TCAPUF 2019↓↓													2030 PC QUEUE POINTER MRO													
		BR1 B/U HEATERS OFF 2020↓																										
		SET BIT PATTERN TO BR1 2021↓																										
		ROLL SWITCH 2022↓																										
		EL-40 1859↓																										
		FDS MODE XB DATA RATE(MI)		CR-5T													EL-40											
160(32)													40(30)															
VGR COVERAGE		ON CALL													VGR			ON CALL										
NOTES																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		APR 09																	APR 10									

THURSDAY
APRIL 10, 2025
100-101

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

S/C 31
INITIAL CONDITIONS
RTLT: 46h 4m 34s
CCSL: A135
FDSL: 11AF
TWNC: ON
SB: OFF
KB: LOW
PYR: .10/.40/.95
GYROS: OFF

FDS MODE
XB DATA RATE(MI)

CR-5T
160(32)

31 DSN COVERAGE

10 40 60 0730 63 [D] 0600 63 [D]

32 DSN COVERAGE

1230 43 [D] 1630 40

S/C 32
INITIAL CONDITIONS
RTLT: 38h 38m 52s
CCSL: B207
FDSL: 11AF
TWNC: ON
SB: OFF
KB: LOW
PYR: .10/.30/.95
GYROS: OFF

FDS MODE
XB DATA RATE(MI)

EL-40
40(30)


VGR COVERAGE
ON CALL

NOTES


UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

UTC: APR 10 APR 11


ISSUE DATE: 04/02/25 12:05



ISSUE DATE: 04/02/25 12:05



ISSUE DATE: 04/02/25 12:05



PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
MONDAY																												
APRIL 14, 2025																												
104-105																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31																												
INITIAL CONDITIONS																												
RTLT: 46h 4m 26s																												
CCSL: A135																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .10/.40/.95																												
GYROS: OFF																												
FDS MODE		CR-5T																										
XB DATA RATE(MI)		160(32)																										
31 DSN COVERAGE		10 40 2250 63 [D] 60																										
32 DSN COVERAGE		1515 43 [D] 2140 40																										
S/C 32																												
INITIAL CONDITIONS																												
RTLT: 38h 38m 32s																												
CCSL: B207																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .10/.30/.95																												
GYROS: OFF																												
FDS MODE		CR-5T																										
XB DATA RATE(MI)		160(40)																										
VGR COVERAGE		ON CALL																										
NOTES																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		APR 14 Day 10 of 12														APR 15												