


VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: April 3, 2025

For the Period: 04/03/25 to 04/21/25 (25/093 – 25/111)




Posted at <https://voyager.jpl.nasa.gov/mission/status/>


LEGEND:

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through


ISSUE DATE: 04/03/25 10:46




ISSUE DATE: 04/03/25 10:46




ISSUE DATE: 04/03/25 10:46




ISSUE DATE: 04/03/25 10:46



ISSUE DATE: 04/03/25 10:46



ISSUE DATE: 04/03/25 10:46




ISSUE DATE: 04/03/25 10:46


PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
WEDNESDAY																												
APRIL 9, 2025																												
099-100																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 36s CCSL: A135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 4m 34s													0000 RTLT 46h 4m 34s													
FDS MODE		CR-5T																										
XB DATA RATE(MI)		160(32)																										
31 DSN COVERAGE		14 [D] 1335 10 40 0225 63 [D] 60																										
32 DSN COVERAGE		1255 43 [D] 2140 40																										
S/C 32 INITIAL CONDITIONS RTLT: 38h 38m 56s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 38m 54s 0000 RTLT 38h 38m 52s																										
		PROP COARSE & FINE COUNTER MRO 1527↓ ↓ 1633 ENABLE TCAPUF																										
		BAY 1 HTR OFF 1529↓ ↓ 1636 BAY 1 HTR ON																										
		BR1 B/U HEATERS ON 1529↓ ↓ 1638 PC QUEUE MRO																										
		DISABLE TCAPUF 1629↓↓ 1640 PC QUEUE POINTER MRO																										
		BR1 B/U HEATERS OFF 1630↓																										
		SET BIT PATTERN TO BR1 1631↓																										
		ROLL SWITCH 1632↓																										
		EL-40 1509↓																										
		FDS MODE		CR-5T													EL-40											
160(32)													40(30)															
XB DATA RATE(MI)																												
VGR COVERAGE		ON CALL													VGR			ON CALL										
NOTES																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		APR 09																		APR 10								

PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
THURSDAY																										
APRIL 10, 2025																										
100-101																										
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 34s CCSL: A135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 4m 32s 0000 RTLT 46h 4m 32s																								
FDS MODE		CR-5T																								
XB DATA RATE(MI)		160(32)																								
31 DSN COVERAGE		10 40 60 0730 63 [D] 0600 63 [D]																								
32 DSN COVERAGE		1230 1630 43 [D] 40																								
S/C 32 INITIAL CONDITIONS RTLT: 38h 38m 52s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 38m 48s 0000 RTLT 38h 38m 46s																								
FDS MODE		EL-40																								
XB DATA RATE(MI)		40(30)																								
VGR COVERAGE		ON CALL																								
NOTES																										
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:		APR 10												APR 11												


ISSUE DATE: 04/03/25 10:46



ISSUE DATE: 04/03/25 10:46




ISSUE DATE: 04/03/25 10:46




PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
MONDAY																												
APRIL 14, 2025																												
104-105																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31																												
INITIAL CONDITIONS																												
RTLT: 46h 4m 26s																												
CCSL: A135																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .10/.40/.95																												
GYROS: OFF																												
FDS MODE		CR-5T																										
XB DATA RATE(MI)		160(32)																										
31 DSN COVERAGE		10 40 2250 63 [D] 60																										
32 DSN COVERAGE		1515 43 [D] 2140 40																										
S/C 32																												
INITIAL CONDITIONS																												
RTLT: 38h 38m 32s																												
CCSL: B207																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .10/.30/.95																												
GYROS: OFF																												
FDS MODE		CR-5T																										
XB DATA RATE(MI)		160(32)																										
VGR COVERAGE		ON CALL																										
NOTES																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		APR 14														APR 15												


ISSUE DATE: 04/03/25 10:46




ISSUE DATE: 04/03/25 10:46




ISSUE DATE: 04/03/25 10:46




ISSUE DATE: 04/03/25 10:46



ISSUE DATE: 04/03/25 10:46



ISSUE DATE: 04/03/25 10:46



ISSUE DATE: 04/03/25 10:46

