


VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: April 9, 2025

For the Period: 04/03/25 to 04/21/25 (25/093 – 25/111)




Posted at <https://voyager.jpl.nasa.gov/mission/status/>

LEGEND:

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through


ISSUE DATE: 04/09/25 16:04




ISSUE DATE: 04/09/25 16:04

PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
FRIDAY																										
APRIL 4, 2025																										
094-095																										
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS																										
RTLT: 46h 4m 48s																										
CCSL: A134																										
FDL: 11AF																										
TWNC: ON																										
SB: OFF																										
XB: LOW																										
PYR: .10/.40/.95																										
GYROS: OFF																										
FDS MODE																										
XB DATA RATE(MI)																										
31 DSN COVERAGE																										
32 DSN COVERAGE																										
S/C 32 INITIAL CONDITIONS																										
RTLT: 38h 39m 20s																										
CCSL: B207																										
FDL: 11AF																										
TWNC: ON																										
SB: OFF																										
XB: LOW																										
PYR: .10/.30/.95																										
GYROS: OFF																										
FDS MODE																										
XB DATA RATE(MI)																										
VGR COVERAGE																										
NOTES																										
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:																										


ISSUE DATE: 04/09/25 16:04




ISSUE DATE: 04/09/25 16:04



ISSUE DATE: 04/09/25 16:04



ISSUE DATE: 04/09/25 16:04




ISSUE DATE: 04/09/25 16:04

PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
WEDNESDAY																												
APRIL 9, 2025																												
099-100																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS		1200 RTLT 46h 4m 34s0000 RTLT 46h 4m 34s																										
RTLT: 46h 4m 36s																												
CCSL: A135																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .10/.40/.95																												
GYROS: OFF																												
FDS MODE		CR-5T																										
XB DATA RATE(MI)		160(32)																										
31 DSN COVERAGE		14 [D] 13351040022563 [D] 60																										
32 DSN COVERAGE		125543 [D] 214040																										
S/C 32 INITIAL CONDITIONS		1200 RTLT 38h 38m 54s0000 RTLT 38h 38m 52s																										
RTLT: 38h 38m 56s		PROP COARSE & FINE COUNTER MRO 1527↓ ↓ 1633 ENABLE TCAPUF																										
CCSL: B207		BAY 1 HTR OFF 1529↓ ↓ 1636 BAY 1 HTR ON																										
FDSL: 11AF		BR1 B/U HEATERS ON 1529↓ ↓ 1638 PC QUEUE MRO																										
TWNC: ON		DISABLE TCAPUF 1629↓↓ 1640 PC QUEUE POINTER MRO																										
SB: OFF		BR1 B/U HEATERS OFF 1630↓																										
XB: LOW		SET BIT PATTERN TO BR1 1631↓																										
PYR: .10/.30/.95		ROLL SWITCH 1632↓																										
GYROS: OFF		EL-40 1509↓																										
FDS MODE		CR-5T													EL-40													
XB DATA RATE(MI)		160(32)													40(30)													
VGR COVERAGE		ON CALL													VGR					ON CALL								
NOTES																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		APR 09																		APR 10								


PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
THURSDAY APRIL 10, 2025 100-101																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 34s CCSL: A135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 4m 32s 0000 RTLT 46h 4m 32s																										
FDS MODE		CR-5T																										
XB DATA RATE(MI)		160(32)																										
31 DSN COVERAGE		10 40 60 0730 63 [D] 0600 63 [D]																										
32 DSN COVERAGE		1230 1630 43 [D] 40																										
S/C 32 INITIAL CONDITIONS RTLT: 38h 38m 52s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 38m 48s 0000 RTLT 38h 38m 46s																										
FDS MODE		EL-40																										
XB DATA RATE(MI)		40(30)																										
VGR COVERAGE		ON CALL																										
NOTES																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		APR 10																		APR 11								

PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
FRIDAY APRIL 11, 2025 101-102																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 32s CCSL: A135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF	1200 RTLT 46h 4m 30s 1437 BAY 1 HTR OFF 1437 GYROS AC ON 1437 1537 CONDITIONING 1458 SSB (13:02) 1520 NDATA MRO (13:24) 1537 GYROS OFF 1545 BAY 1 HTR ON U/L 1545 TLC (SHORT-FORM) 1440 EL-40 1441 0000 RTLT 46h 4m 30s																								
	CR-5T CR-5T																								
	160(32) 160(32)																								
	31 DSN COVERAGE 10 1415 43 [HT] 1900 63 [D] 1000 2300 63 [D] 0325																								
32 DSN COVERAGE		1155 43 [D] 1255 2000 43 [o] 0050																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 38m 46s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF	1200 RTLT 38h 38m 44s 0000 RTLT 38h 38m 42s 0011 TWNC ON END ROLL BR SWITCH MINI-SEQUENCE 0453 2032 CR-5T																								
	EL-40 CR-5T																								
	40(30) 160(32)																								
	VGR COVERAGE ON CALL VGR ON CALL VGR ON CALL																								
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		APR 11 0000-1159												APR 12											

ISSUE DATE: 04/09/25 16:04




ISSUE DATE: 04/09/25 16:04




PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
MONDAY																											
APRIL 14, 2025																											
104-105																											
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31																											
INITIAL CONDITIONS																											
RTLT: 46h 4m 26s																											
CCSL: A135																											
FDSL: 11AF																											
TWNC: ON																											
SB: OFF																											
XB: LOW																											
PYR: .10/.40/.95																											
GYROS: OFF																											
FDS MODE		CR-5T																									
XB DATA RATE(MI)		160(32)																									
31 DSN COVERAGE		10 40 2250 63 [D] 60																									
32 DSN COVERAGE		1515 43 [D] 2140 40																									
S/C 32																											
INITIAL CONDITIONS																											
RTLT: 38h 38m 32s																											
CCSL: B207																											
FDSL: 11AF																											
TWNC: ON																											
SB: OFF																											
XB: LOW																											
PYR: .10/.30/.95																											
GYROS: OFF																											
FDS MODE		CR-5T																									
XB DATA RATE(MI)		160(32)																									
VGR COVERAGE		ON CALL																									
NOTES																											
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:		APR 14																		APR 15							

ISSUE DATE: 04/09/25 16:04




ISSUE DATE: 04/09/25 16:04




PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
THURSDAY APRIL 17, 2025 107-108																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 4m 22s CCSL: A135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/.95 GYROS: OFF		1200 RTLT 46h 4m 22s 0000 RTLT 46h 4m 20s																							
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
31 DSN COVERAGE		10 1610 43 [D] 2010 40 2240 63 [D] 0240 60																							
32 DSN COVERAGE		1120 43 [D] 1520 40 2125 43 [H1] 0415																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 38m 18s CCSL: B207 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/.95 GYROS: OFF		1200 RTLT 38h 38m 16s 0000 RTLT 38h 38m 14s 2151 ROLL 1.25 DEG DEADBAND TEST (12:29)																							
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
VGR COVERAGE		ON CALL												VGR		ON CALL									
NOTES		[1] DSS-43 HPTXR DRV OFF <= 04:25																							
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		APR 17												APR 18											


ISSUE DATE: 04/09/25 16:04



ISSUE DATE: 04/09/25 16:04



ISSUE DATE: 04/09/25 16:04



ISSUE DATE: 04/09/25 16:04

